





Rhino II Vehicle Mount Computer


| | |
|--|-----------|
| 10" Blackline, Capacitive Touch - 12VDC, Win10 IoT Enterprise Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200008 |
| 10" Blackline, Capacitive Touch - 12VDC, Win7 P Embedded Standard Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200006 |
| 10" Blackline, Capacitive Touch - 12VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200004 |
| 10" Blackline, Capacitive Touch - 24-48VDC, Win10 IoT Enterprise Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200007 |
| 10" Blackline, Capacitive Touch - 24-48VDC, Win7 P Embedded Standard Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200005 |
| 10" Blackline, Capacitive Touch - 24-48VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200003 |
| 10" Resistive Touch with Heater for Cold Storage - 12VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200002 |
| 10" Resistive Touch with Heater for Cold Storage - 24-48VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200001 |
| 12" Blackline, Capacitive Touch - 12VDC, Win10 IoT Enterprise Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200022 |
| 12" Blackline, Capacitive Touch - 12VDC, Win7 P Embedded Standard Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200020 |
| 12" Blackline, Capacitive Touch - 12VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200018 |
| 12" Blackline, Capacitive Touch - 24-48VDC, Win10 IoT Enterprise Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200021 |
| 12" Blackline, Capacitive Touch - 24-48VDC, Win7 P Embedded Standard Dual Core/1.46Ghz processor, 4GB DRAM, 32GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200019 |
| 12" Blackline, Capacitive Touch - 24-48VDC,WEC7 Quad Core/1.0Ghz processor, 1GB RAM, 16GB SD Flash, Laird/Summit 50 Series 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable | 943200017 |







| BATTERIES/BATTERY CHARGERS | |
|---|-----------|
| UPS Battery Backup with Speaker (requires technician for field installation) Order together with device (NOT for SH21 Blackline) to be installed at the factory | 94ACC0164 |

| CABLES | |
|-----------------------------|-----------|
| Screen Blanking RS232 Cable | 94ACC0157 |

| EASEOFCARE AGREEMENTS | |
|--|-----------|
| RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 1 YEAR RENEWAL | ZSC2RH2R1 |
| RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 3 YEARS | ZSC2RH231 |
| RHINO II, EOFC 5 DAYS, 1 YEAR RENEWAL | ZSN5RH2R1 |
| RHINO II, EOFC 5 DAYS, 3 YEARS | ZSN5RH231 |

| MISCELLANEOUS | | |
|--|---|-----------|
|  | External Keyboard, QWERTY layout | 95ACC1330 |
| 24 Key - right side mount keyboard (10 key layout + F1-F6) | | 94ACC0158 |
| Cable Cover IP65, with single USB | | 94ACC0174 |
|  | Cable Cover, 5 poles, w 2.9m power cable (for quick disconnect) | 94ACC0173 |
|  | Compact Keyboard, External, QWERTY layout | 94ACC1374 |
|  | External Keyboard, ABCD layout | 95ACC1331 |

| | | |
|--|---------------------|-----------|
|  | Speaker Cable Cover | 94ACC0160 |
| Top Cover for LTE WWAN USB & Dual Antennas | | 94ACC0159 |

| MOUNTS/STANDS | | |
|---|--|-----------|
|  | Fixed Mounting Bracket - 130 degrees for 10/12/15 in | 94ACC0172 |
|  | Keyboard External Mounting Bracket (full size keyboard) | 94ACC0155 |
| Quick Change V-Mount (Rhino II/SH15 only) | | 94ACC0175 |
|  | RAM MOUNT 4" rail base (D Size, 2.25in) (Rhino II/SH15 only) | 94ACC0035 |
|  | RAM Mount with round base (D Size, 2.25in)(Rhino II/SH15 only) | 94ACC0034 |
|  | Scanner holder (right side) | 94ACC0156 |
|  | Vehicle Mounting Bracket - 10 degrees for 10/12 in | 94ACC0154 |

| POWER SUPPLIES/CORDS | |
|---|-----------|
| AC/DC Power Brick, 24VDC to 110/230VAC (requires IEC line cord) (Rhino II/SH15 only) | 94ACC0161 |
| DC Power Cable, 2.9 meters (included with main unit) (included with Rhino II/SH15 DC main unit) | 94ACC0165 |
| Power Converter: 72-110 VDC input; 15VDC output (requires 12-24VDC industrial computer) | 94ACC0041 |

| SOFTWARE | |
|---|-----------------|
| Cloud Hosting fee per device/year. Must be purchased along with Cloud Subscription (ZSSOTIMCLDEV) Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCLDHS |
| Cloud subscription per device/year. Requires Cloud Hosting (ZSSOTIMCLDHS). Includes standard support. Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCLDEV |
| Fee paid per year for instances below a threshold (75 licenses) Only for cloud (ZSSOTIMCLDEV). Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCLDEF |
| MOBICONTROL " PERPETUAL LICENSE (premise). One time charge does not include support. Min qty for New Instances is 10 licenses. Min qty for add on to an existing instance is 5 licenses. Currently available from Datalogic/SOTI authorized distributors only | 94ACC0179 |
| MobiControl Advantage Support (per year). 24/7 support. Max 6 hours support response window. Add-on on top of standard support. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCXDEVADV |
| MobiControl Enterprise Support (per year). 24/7 support + dedicated technical advisor. Add-on on top of standard support. Required for all opportunities of 3,000 devices or more. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCXDEVENT |
| MobiControl Standard Support (per year). Must be purchased with the perpetual license (but included with ZSSOTIMCSDEV and ZSSOTIMCLDEV). Max 48 hrs support response window. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCPMNT |
| SaaS subscription locally hosted by the customer (on premise). Includes standard support. Per device/year. Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCSDEV |