3rd Party MV Accessories	
	95A900086
	95A900087
	95A900088
	95A900089
	95A900090
	95A900091

LIGHTING	
"Lighting, 2"" x 8"" Backlight, Blue, Collimated, w/ iCS (CB0208-470IC)"	95A906440
"Lighting, Backlight, 12"" x 4"", Blue, w/ i3 (BX1204-455i3)"	95A906574
"Lighting, Backlight, 16"" x 4"", Red, 24V (BL1604-66024)"	95A906039
"Lighting, Backlight, 2"" x 2"", Red, 24V (BL0202-66024)"	95A906179
"Lighting, Backlight, 2"" x 2"", Red, w/ i3 Driver/M12 (BL128-660i3-M12)"	95A906373
"Lighting, Backlight, 2"" x 2"", Red, w/ iCS (BL128-660IC)"	95A906067
"Lighting, Backlight, 2"" x 2"", White (BX0202-WHIIC)"	95A906268
"Lighting, Backlight, 2"" x 3"", Red w/ iCS (BL12803-660-IC)"	95A906017
"Lighting, Backlight, 4"" x 4"", Red, C5 Connector (BL0404-660-C5)"	95A906319
"Lighting, Backlight, 4"" x 4"", Red, w/ iCS (BL0404-660IC)"	95A906433
"Lighting, Backlight, 4"" x 4"", White, C5 Connector (BL0404-WHI-C5)"	95A906320
"Lighting, Backlight, 6"" x 6"", Red, C5 Connector (BL0606-660-C5)"	95A906160
"Lighting, Backlight, 6"" x 6"", White, 24V (BL0606-WHI24)"	95A906377
"Lighting, Dome, 5.25"" White, i3 Driver, M12 (DL194-WHIi3-M12)"	95A906385
"Lighting, Dome, 5.25"", Red, i3 Driver (DL194-WHIi3)"	95A906497
"Lighting, Dome, 9"" O.D., White, HB LEDs, Strobed (5A) (DL097-WHIi3M12)"	95A906664
"Lighting, Flat dome, 12"" x 12"", w/ 40 mm Hole, Blue w/ i3 (FX1212-455i3-043)"	95A906549
"Lighting, Flat dome, 8"" x 8"", 470nm Blue, 24V Flying Lead (FD0808-47024)"	95A906108
"Lighting, Line, 12"" High Brightness, White, 24V (LL137E12-WHI24)"	95A906592

"Lighting, Line, 2"" x 3"", White w/ICS and M12 (AL143-WHIICM12)"	95A906494
"Lighting, Line, 30"" Ultra Bright Linear Array, white, C5 connector (AL17930-WHIC5)"	95A906110
"Lighting, Line, 300 mm OverDrive, White - ""Connect-A-Light"" (ODL300-WHI)"	95A906569
"Lighting, Line, 300 mm, White - ""Connect-A-Light"" (L300-WHI)"	95A906073
"Lighting, Line, 6"", White, 24V Flying Lead (LL137E06-WHI24)"	95A906121
"Lighting, Ring, 2.15"" O.D., 660nm Red (1A) (RL2316-660i3M12)"	95A906612
"Lighting, Ring, 2.95"" O.D., White, Strobed (RL121-WHIi3)"	95A906492
"Lighting, Ring, 80 mm, 625nm Red - ""EZ Mount Ring Light"" (R80-625)"	95A906683
"Lighting, Spot, 75 mm OverDrive, 850nm IR - ""Brick Light"" (ODS75-850)"	95A906589
"Lighting, Spot, 75 mm, 470nm Blue - ""Brick Light"" (S75-470)"	95A906020
"Lightint, Flat dome, 3"" x 3"", white, Static or Strobed w/ i3 (FX0303-WHli3)"	95A906446
"Lightint, Line, 300 mm, 625nm Red - ""Connect-A-Light"" (L300-625)"	95A906176
"Lightint, Ring, 3.33"" O.D., Red, 24V, Diffused (RL1424-66075XXL24)"	95A906201
Diffuser kit for R130 Ringlight (R130-DKIT)	95A906369
Diffuser kit for R80 Ringlight (R80-DKIT)	95A906370
Lighting, Backlight, 100x150 mm, Blue	95A906894
Lighting, Backlight, 100x150 mm, Red	95A906892
Lighting, Backlight, 100x150 mm, White	95A906893
Lighting, Backlight, 150 mm x 100 mm, IR (850 nm) (SOBL-150x100-850)	95A906279
Lighting, Backlight, 150 mm x 150 mm, SOBLW, Red (SOBLW150150-625)	95A906099
Lighting, Backlight, 200 mm x 150 mm, IR (850 nm) (SOBL-200x150-850)	95A906359
Lighting, Backlight, 200 mm x 150 mm, White (SOBL-200x150-WHI)	95A906365
Lighting, Backlight, 50 mm x 75 mm, Blue	95A906891
Lighting, Backlight, 50 mm x 75 mm, Red	95A906889
Lighting, Backlight, 50 mm x 75 mm, White	95A906700
Lighting, Line, 25x300 mm, 850nm IR	95A907111
Lighting, Line, 300 mm, Blue	95A906651
Lighting, Line, 300 mm, Blue, Wide	95A906888

Lighting, Line, 300 mm, Red	95A906652
Lighting, Line, 300 mm, Red, Wide	95A906887
Lighting, Line, 300 mm, White	95A906653
Lighting, Line, 300 mm, White, Wide	95A906669
Lighting, Line, 600 mm, IP65, 850 nm IR, Wide	95A906871
Lighting, Line, 900 mm, IP65, 850 nm IR, Wide	95A906872
Lighting, Ring, 130 mm OverDrive, 470nm Blue (ODR130-470)	95A906675
Lighting, Ring, 130 mm OverDrive, White (ODR130-WHI)	95A906284
Lighting, Ring, 130 mm, Red (R130-625)	95A906382
Lighting, Ring, 130 mm, White (R130-WHT)	95A906452
Lighting, Ring, 190 x 190 mm LED Diffuse, red (DLP-190x190-625)	95A906381
Lighting, Ring, 190 x 190 mm LED Diffuse, white (DLP-190x190-WHI)	95A906226
Lighting, Ring, 300x300 LED Diffuse panel, RD (DLP-300x300-625)	95A906171
Lighting, Ring, 52 X 120 mm, Blue	95A906897
Lighting, Ring, 52 X 120 mm, Blue, Wide	95A906914
Lighting, Ring, 52 X 120 mm, Red	95A906895
Lighting, Ring, 52 X 120 mm, Red, Wide	95A906898
Lighting, Ring, 52 X 120 mm, White	95A906896
Lighting, Ring, 52 X 120 mm, White, Wide	95A906913
Lighting, Ring, 80 mm OverDrive, 625nm Red (ODR80-625)	95A906130
Lighting, Ring, 80 mm OverDrive, White (ODR80-WHI)	95A906285
Lighting, Ring, White, TCxx48-ty (LTRN48NW)	95A906368
Lighting, Spot, 100 mm x 150 mm, Blue	95A906923
Lighting, Spot, 100 mm x 150 mm, Blue, Wide	95A906926
Lighting, Spot, 100 mm x 150 mm, Red	95A906921
Lighting, Spot, 100 mm x 150 mm, Red, Wide	95A906924
Lighting, Spot, 100 mm x 150 mm, White	95A906922
Lighting, Spot, 100 mm x 150 mm, White, Wide	95A906925

Lighting, Spot, 50 mm x 75 mm, Blue	95A906917
Lighting, Spot, 50 mm x 75 mm, Blue, Wide	95A906920
Lighting, Spot, 50 mm x 75 mm, Red	95A906915
Lighting, Spot, 50 mm x 75 mm, Red, Wide	95A906918
Lighting, Spot, 50 mm x 75 mm, White	95A906916
Lighting, Spot, 50 mm x 75 mm, White, Wide	95A906919
Lighting, Spot, S75, Red (S75-625)	95A906202

LENS	
"C-Mount Lens, 10MP, 2/3"", 12 mm"	95A906474
"C-Mount Lens, 12 mm, 2/3"" Format, 5MP, w/ Locks, 1000 mm- ? WD, M30.5 x 0.5 Filter thread"	933-63-779
"C-Mount Lens, 12 mm, 2/3"" Format, 5MP, w/ Locks, 150 mm-500 mm WD, M30.5 x 0.5 Filter thread"	933-63-777
"C-Mount Lens, 12 mm, 2/3"" Format, 5MP, w/ Locks, 400 mm-2000 mm WD, M30.5 x 0.5 Filter thread"	933-63-778
"C-Mount Lens, 12 mm, F/1.8, 2/3"" Format, Megapixel, w/ Locks, M25.5 x 0.5 mm Filter Thread"	933-58-001
"C-Mount Lens, 12.5 mm Focal Length, 1"" Sensor Form"	95A906152
"C-Mount Lens, 12.5 mm, 2/3"" Format, 5MP, w/ Locks, M49 x 0.75 Filter Thread"	927-HF12.5SA-1
"C-Mount Lens, 16 mm Focal Length, 1"" Sensor Format"	95A906153
"C-Mount Lens, 16 mm, F/1.4, 2/3"" Format, Megapixel, w/ Locks, M25.5 x 0.5 mm Filter Thread"	933-59-870
"C-Mount Lens, 18 mm, 2/3"" Format, High-Res, Double Gauss, w/ Locks, M30.5 x 0.5 mm Filter Thread"	933-54-857
"C-Mount Lens, 25 mm Focal Length, 1"" Sensor Format"	95A906154
"C-Mount Lens, 25 mm, 2/3"" Format, 5MP, w/ Locks, 1000 mm- ? WD, M25.5 x 0.5 Filter thread"	933-63-782
"C-Mount Lens, 25 mm, 2/3"" Format, 5MP, w/ Locks, 150 mm-500 mm WD, M25.5 x 0.5 Filter thread"	933-63-780
"C-Mount Lens, 25 mm, 2/3"" Format, 5MP, w/ Locks, 500 mm-1600 mm WD, M25.5 x 0.5 Filter thread"	933-63-781
"C-Mount Lens, 25 mm, 2/3"" Format, High-Res, Double Gauss, w/ Locks, M30.5 x 0.5 mm Filter Thread"	933-55-326
"C-Mount Lens, 25 mm, F/1.4, 2/3"" Format, Megapixel, w/ Locks, M25.5 x 0.5 mm Filter Thread"	933-59-871
"C-Mount Lens, 35 mm, 1"" Sensor Format (63-247)"	95A906155
"C-Mount Lens, 35 mm, 2/3"" Format, High-Res, Double Gauss, w/ Locks, M37 x 0.75 mm Filter Thread"	933-54-689
"C-Mount Lens, 35 mm, F/1.65, 2/3"" Format, Megapixel, w/ Locks, M25.5 x 0.5 mm Filter Thread"	933-59-872

"C-Mount Lens, 4.5 mm, F2.0, 1/1.8"" Format"	95A906292
"C-Mount Lens, 50 mm FL High Resolution Lens for 4/3"" Sensor"	95A906238
"C-Mount Lens, 50 mm, 2/3"" Format, High-Res, Double Gauss, w/ Locks, M39 x 0.5 mm Filter Thread"	
"C-Mount Lens, 50 mm, F/2, 2/3"" Format, Megapixel, w/ Locks, M30.5 x 0.5 mm Filter Thread"	
"C-Mount Lens, 6 mm, 1/1.8"""" Format, Megapixel, w/ Locks, M34.0 x 0.5 mm Filter Thread"	
"C-Mount Lens, 75 mm, 2/3"" Format, 5MP, w/ Locks, M49 x 0.75 Filter Thread"	927-HF75SA-1
"C-Mount Lens, 75 mm, 2/3"" Format, High-Res, Double Gauss, w/ Locks, M49 x 0.75 mm Filter Thread"	933-54-691
"C-Mount Lens, 8.5 mm, F/1.3, 2/3"" Format, Megapixel, w/ Locks, M25.5 x 0.5 mm Filter Thread"	933-58-000
Brass Spacer Ring, C-Mount lens, 0.55 mm	937-EXT-0.5
Brass Spacer Ring, C-Mount lens, 1.0 mm	937-EXT-1.0
Brass Spacer Ring, C-Mount lens, 2.0 mm	937-EXT-2.0
C-Mount Lens, 28 mm, F-Mount, M72 x 0.75 Filter Thread	927-1-19711
C-Mount Lens, 35 mm High Res Fixed Focal Length	95A906438
C-Mount Lens, 35 mm Hi-Res Lens, 125-600 mm WD	95A906215
C-Mount Lens, 35 mm, F-Mount, M52 x 0.75 Filter Thread	927-1-19712
C-Mount Lens, 50 mm, F-Mount, M52 x 0.75 Filter Thread	927-1-19713
C-Mount Lens, 75 mm, 2/3â€□ FORMAT	95A900003
C-Mount Lens, 8.5 mm High Res ,200 mm-8 Primary WD	95A906389
Extension Tube Kit, C-Mount lens, .5 mm, 1 mm, 5 mm, 10 mm, 20 mm & 40 mm rings, 76.5 mm Total	601-0008
Extension Tube, C-Mount lens, 10.0 mm	937-EXT-10.0
Extension Tube, C-Mount lens, 20.0 mm	937-EXT-20.0
Extension Tube, C-Mount lens, 5.0 mm	937-EXT-5.0
LNS-1125 25MM C-MOUNT LENS	93ACC1797
Step up Ring for filters, M25.5-M27 (SU25.5-27)	95A906460

FILTER	
Filter, Blue Bandpass,470nm,M25.5 thread	937-BP470-25.5
Filter, Dark Red Bandpass - 660nm	937-BP660-M25.5
Filter, IR Bandpass - 735nm	937-BP735-M25.5
Filter, IR Bandpass - 800nm (BP800-M25.5)	95A906722
Filter, IR Bandpass - 850 nm	937-BP850-M25.5
Filter, IR Bandpass - 850 nm	937-BP850-M27
Filter, Light Green Bandpass - 525nm	937-BP525-M25.5
Filter, Light Red Bandpass - 635nm	937-BP635-M25.5
Filter, Light Red Bandpass - 635nm	937-BP635-M30.5
Filter, Linear Polarizer, Rotating (w/locking screw)	937-PR032-M25.5
Filter, Linear Polarizer, Rotating (w/locking screw)	937-PR032-M27.0
Filter, Linear Polarizer, Rotating (w/locking screw)	937-PR032-M30.5
Filter, Orange Bandpass - 590nm	937-BP590-M25.5
Filter, UV, Mounted M37 x 0.75	95A906264
Protective Window (Scratch Res. Acrylic)	937-AC380-M25.5
Protective Window (UV Absorbing)	937-LP390-M25.5
Protective Window (UV Absorbing) (937-LP330-M25.5)	95A906341