

Tubular Photoelectric Sensor

S51-MA-2-A00-NK = Reflex metal axial npn l/d input - 2 mt cable	952701601
S51-MA-2-A00-PK = Reflex metal axial pnp l/d input - 2 mt cable	952701541
S51-MA-2-B01-NK = Reflex polarized metal axial npn l/d input - 2 mt cable	952701611
S51-MA-2-B01-PK = Reflex polarized metal axial pnp l/d input - 2 mt cable	952701551
S51-MA-2-C01-NK = Proximity metal axial npn l/d input - 2 mt cable	952701621
S51-MA-2-C01-PK = Proximity metal axial pnp l/d input - 2 mt cable	952701561
S51-MA-2-C10-NK = Proximity metal axial npn l/d input - 2 mt cable	952701631
S51-MA-2-C10-PK = Proximity metal axial pnp l/d input - 2 mt cable	952701571
S51-MA-2-F00-NK = Receiver metal axial npn l/d input - 2 mt cable	952701641
S51-MA-2-F00-PK = Receiver metal axial pnp l/d input - 2 mt cable	952701581
S51-MA-2-G00-XG = Emitter metal axial test input - 2 mt cable	952701591
S51-MA-5-A00-NK = Reflex metal axial npn l/d input - M12	952701801
S51-MA-5-A00-PK = Reflex metal axial pnp l/d input - M12	952701531
S51-MA-5-B01-NK = Reflex polarized metal axial npn l/d input - M12	952701811
S51-MA-5-B01-PK = Reflex polarized metal axial pnp l/d input - M12	952701761
S51-MA-5-C01-NK = Proximity metal axial npn l/d input - M12	952701821
S51-MA-5-C01-PK = Proximity metal axial pnp l/d input - M12	952701771
S51-MA-5-C10-NK = Proximity metal axial npn l/d input - M12	952701831
S51-MA-5-C10-PK = Proximity metal axial pnp l/d input - M12	952701521
S51-MA-5-F00-NK = Receiver metal axial npn l/d input - M12	952701841
S51-MA-5-F00-PK = Receiver metal axial pnp l/d input - M12	952701781
S51-MA-5-G00-XG = Emitter metal axial test input - M12	952701791
S51-MR-2-A00-NK = Reflex metal radial npn l/d input - 2 mt cable	952701711
S51-MR-2-A00-PK = Reflex metal radial pnp l/d input - 2 mt cable	952701651
S51-MR-2-B01-NK = Reflex polarized metal radial npn l/d input - 2 mt cable	952701721
S51-MR-2-B01-PK = Reflex polarized metal radial pnp l/d input - 2 mt cable	952701661
S51-MR-2-C01-NK = Proximity metal radial npn l/d input - 2 mt cable	952701731

S51-MR-2-C01-PK = Proximity metal radial pnp l/d input - 2 mt cable	952701671
S51-MR-2-C10-NK = Proximity metal radial npn l/d input - 2 mt cable	952701741
S51-MR-2-C10-PK = Proximity metal radial pnp l/d input - 2 mt cable	952701681
S51-MR-2-F00-NK = Receiver metal radial npn l/d input - 2 mt cable	952701751
S51-MR-2-F00-PK = Receiver metal radial pnp l/d input - 2 mt cable	952701691
S51-MR-2-G00-XG = Emitter metal radial test input - 2 mt cable	952701701
S51-MR-5-A00-NK = Reflex metal radial npn l/d input - M12	952701911
S51-MR-5-A00-PK = Reflex metal radial pnp l/d input - M12	952701851
S51-MR-5-B01-NK = Reflex polarized metal radial npn l/d input - M12	952701921
S51-MR-5-B01-PK = Reflex polarized metal radial pnp l/d input - M12	952701861
S51-MR-5-C01-NK = Proximity metal radial npn l/d input - M12	952701931
S51-MR-5-C01-PK = Proximity metal radial pnp l/d input - M12	952701871
S51-MR-5-C10-NK = Proximity metal radial npn l/d input - M12	952701941
S51-MR-5-C10-PK = Proximity metal radial pnp l/d input - M12	952701881
S51-MR-5-F00-NK = Receiver metal radial npn l/d input - M12	952701951
S51-MR-5-F00-PK = Receiver metal radial pnp l/d input - M12	952701891
S51-MR-5-G00-XG = Emitter metal radial test input - M12	952701901
S51-PA-2-A00-NK = Reflex plastic axial npn l/d input - 2 mt cable	952701071
S51-PA-2-A00-PK = Reflex plastic axial pnp l/d input - 2 mt cable	952701001
S51-PA-2-B01-NK = Reflex polarized plastic axial npn l/d input - 2 mt cable	952701081
S51-PA-2-B01-PK = Reflex polarized plastic axial pnp l/d input - 2 mt cable	952701011
S51-PA-2-C01-NK = Proximity plastic axial npn l/d input - 2 mt cable	952701091
S51-PA-2-C01-PK = Proximity plastic axial pnp l/d input - 2 mt cable	952701021
S51-PA-2-C10-NK = Proximity plastic axial npn l/d input - 2 mt cable	952701101
S51-PA-2-C10-PK = Proximity plastic axial pnp l/d input - 2 mt cable	952701031
S51-PA-2-F00-NK = Receiver plastic axial npn l/d input - 2 mt cable	952701121
S51-PA-2-F00-PK = Receiver plastic axial pnp l/d input - 2 mt cable	952701051
S51-PA-2-G00-XG = Emitter plastic axial test input - 2 mt cable	952701061

S51-PA-5-A00-NK = Reflex plastic axial npn l/d input - M12	952701331
S51-PA-5-A00-PK = Reflex plastic axial pnp l/d input - M12	952701261
S51-PA-5-B01-NK = Reflex polarized plastic axial npn l/d input - M12	952701341
S51-PA-5-B01-PK = Reflex polarized plastic axial pnp l/d input - M12	952701271
S51-PA-5-C01-NK = Proximity plastic axial npn l/d input - M12	952701351
S51-PA-5-C01-PK = Proximity plastic axial pnp l/d input - M12	952701281
S51-PA-5-C10-NK = Proximity plastic axial npn l/d input - M12	952701361
S51-PA-5-C10-PK = Proximity plastic axial pnp l/d input - M12	952701291
S51-PA-5-F00-NK = Receiver plastic axial npn l/d input - M12	952701381
S51-PA-5-F00-PK = Receiver plastic axial pnp l/d input - M12	952701311
S51-PA-5-G00-XG = Emitter plastic axial test input - M12	952701321
S51-PR-2-A00-NK = Reflex plastic radial npn l/d input - 2 mt cable	952701201
S51-PR-2-A00-PK = Reflex plastic radial pnp l/d input - 2 mt cable	952701131
S51-PR-2-B01-NK = Reflex polarized plastic radial npn l/d input - 2 mt cable	952701211
S51-PR-2-B01-PK = Reflex polarized plastic radial pnp l/d input - 2 mt cable	952701141
S51-PR-2-C01-NK = Proximity plastic radial npn l/d input - 2 mt cable	952701221
S51-PR-2-C01-PK = Proximity plastic radial pnp l/d input - 2 mt cable	952701151
S51-PR-2-C10-NK = Proximity plastic radial npn l/d input - 2 mt cable	952701231
S51-PR-2-C10-PK = Proximity plastic radial pnp l/d input - 2 mt cable	952701161
S51-PR-2-F00-NK = Receiver plastic radial npn l/d input - 2 mt cable	952701251
S51-PR-2-F00-PK = Receiver plastic radial pnp l/d input - 2 mt cable	952701181
S51-PR-2-G00-XG = Emitter plastic radial test input - 2 mt cable	952701191
S51-PR-5-A00-NK = Reflex plastic radial npn l/d input - M12	952701461
S51-PR-5-A00-PK = Reflex plastic radial pnp l/d input - M12	952701391
S51-PR-5-B01-NK = Reflex polarized plastic radial npn l/d input - M12	952701471
S51-PR-5-B01-PK = Reflex polarized plastic radial pnp l/d input - M12	952701401
S51-PR-5-C01-NK = Proximity plastic radial npn l/d input - M12	952701481
S51-PR-5-C01-PK = Proximity plastic radial pnp l/d input - M12	952701411

S51-PR-5-C10-NK = Proximity plastic radial npn l/d input - M12	952701491
S51-PR-5-C10-PK = Proximity plastic radial pnp l/d input - M12	952701421
S51-PR-5-F00-NK = Receiver plastic radial npn l/d input - M12	952701511
S51-PR-5-F00-PK = Receiver plastic radial pnp l/d input - M12	952701441
S51-PR-5-G00-XG = Emitter plastic radial test input - M12	952701451

CABLES	
CS-A1-02-B-NC = M12 4-p axial PG	G5085002
CS-A1-02-G-03 = M12 4-p axial 3m	95A251380
CS-A1-02-G-05 = M12 4-p axial 5m	95A251270
CS-A1-02-G-07 = M12 4-p axial 7m	95A251280
CS-A1-02-G-10 = M12 4-p axial 10m	95A251390
CS-A1-02-O-05 = M12 4-p axial 5m CEI 2034-01	95A251710
CS-A1-02-O-10 = M12 4-p axial 10m CEI 2034-01	95A251090
CS-A1-02-R-02 = M12 4-p axial 2m PUR	95A251540
CS-A1-02-R-05 = M12 4-p axial 5m PUR	95A251560
CS-A1-02-U-03 = M12 4-p axial 3m UL 2464	95ASE1120
CS-A1-02-U-05 = M12 4-p axial 5m UL 2464	95ASE1130
CS-A1-02-U-10 = M12 4-p axial 10m UL 2464	95ASE1140
CS-A1-02-U-15 = M12 4-p axial 15m UL 2464	95ASE1150
CS-A1-02-U-25 = M12 4-p axial 25m UL 2464	95ASE1160
CS-A2-02-B-NC = M12 4-p radial PG	G5085003
CS-A2-02-G-03 = M12 4-p radial 3m	95A251360
CS-A2-02-G-05 = M12 4-p radial 5m	95A251240
CS-A2-02-G-07 = M12 4-p radial 7m	95A251245
CS-A2-02-G-10 = M12 4-p radial 10m	95A251260
CS-A2-02-O-05 = M12 4-p radial 5m CEI 2034-01	95A251690
CS-A2-02-O-10 = M12 4-p radial 10m CEI 2034-01	95A251700

CS-A2-02-R-02 = M12 4-p radial 2m PUR	95A251550
CS-A2-02-R-05 = M12 4-p radial 5m PUR	95A251570
CS-A2-12-G-03 = M12 4-p radial 3m LED	95A251400
CS-A2-12-G-05 = M12 4-p radial 5m LED	95A251350
CS-A2-12-G-10 = M12 4-p radial 10m LED	95A251370

MOUNTS/STANDS	
EASY-IN = M18/14 EASY in \hat{a}, ϕ adjustable mounting support	95ACC5300
JOINT-18 = Jointed protective bracket M18	95ACC5220
Metal fixing nut M18 = Metal fixing nut M18	G602000017
Plastic nut S5 (100 pcs) = Plastic nut S5 (100 pcs)	G602000008
Plastic nut S50 (100 pcs) = Plastic nut S50 (100 pcs)	95ACC2380
SP-40 = Tubular mounting bracket	95ACC1370
ST-5010 = M18/14 mounting bracket	95ACC5230
ST-5011 = M18 mounting bracket short	95ACC5240
ST-5012 = M18 mounting bracket long	95ACC5250
ST-5017 = M18 mounting bracket	95ACC5270
SWING-18 = adjustable support for M18 tubular sensors	895000006

OPTIC LENS/SLIT	
DEV90 = Beam deviating 90°; for M18	95ACC3050
MEK-PROOF = front protection (only for metal models)	G5000001

REFLECTOR	
R1 = Prismatic reflector \varnothing 23 mm - plastic support \varnothing 31 mm	S940700023
R10 = Prismatic reflector 36 x 176 mm - plastic support 41 x 181 mm	S19120000
R100 = Prismatic reflector 19 x 35 mm - plastic support 24 x 48 mm	95ACC7990
R11 = Prismatic reflector 146 x 15 mm - plastic support 150 x 18 mm	95A155050
R12 = Prismatic reflector 100 x 100 mm	95A155060
R13 = Prismatic reflector 20x32 mm	95A151300
R14 = Prismatic reflector \varnothing 20,5 mm - plastic support \varnothing 25 mm	95A151310
R16 = Prismatic reflector 9.7 x 19 mm - plastic support 14 x 23 mm	95A151330
R2 = Prismatic reflector \varnothing 48 mm - plastic support \varnothing 63 mm	S940700048
R3 = Prismatic reflector 18 x 54 mm - plastic support 22 x 82 mm	S940700972
R35 = Prismatic reflector \varnothing 29,5 mm - plastic support \varnothing 35 mm	95A151530
R4 = Prismatic reflector 47x 47 mm - plastic support 51.5 x 61 mm	95A151340
R4K = Prismatic reflector 47 x 47 mm - plastic support 51 x 61 mm - IP69K	95A151220
R5 = Prismatic reflector \varnothing 75 mm - plastic support \varnothing 82 mm	S940700075
R6 = Prismatic reflector 36 x 55 mm - plastic support 40.5 x 60 mm	95A151350
R9 = Prismatic reflector \varnothing 23 mm - self-adhesive support \varnothing 25 mm	95A151080
RT-100X100 = Self-adhesive reflective tape for polarised light 100 x 100 mm	95A151550
RT-3870 = Self-adhesive reflective tape 200 x 300 mm	S940000600
RT-3970 = Self-adhesive reflective tape for polarised light 200 x 300 mm	S940000900
RT-3970 = Self-adhesive reflective tape for polarised light 60 x 40 mm	S940000604
RT-50X50 = Self-adhesive reflective tape for polarised light 50 x 50 mm	95A151540
S12 = Prismatic reflector \varnothing 48 mm - plastic hexagon support CH .52 mm	S940710048