

## Contrast Photoelectric Sensor

TL&mu;-011 = Contrast sensor 9mm. red/green vertical spot npn out cable	964401000
TLu-011L = Contrast sensor 9mm. red/green horizontal spot npn out cable	964401010
TLu-015 = Contrast sensor 9mm. red/green vertical spot npn out - M12	964401020
TLu-015L = Contrast sensor 9mm. red/green horizontal spot npn out - M12	964401030
TLu-065 = Contrast sensor 18mm. red/green vertical spot npn out - M12	964401060
TLu-111 = Contrast sensor 9mm. red/green vertical spot pnp out cable	964401080
TLu-111L = Contrast sensor 9mm. red/green horizontal spot pnp out cable	964401090
TLu-115 = Contrast sensor 9mm. red/green vertical spot pnp out - M12	964401100
TLu-115L = Contrast sensor 9mm. red/green horizontal spot pnp out - M12	964401110
TLu-165 = Contrast sensor 9mm. red/green vertical spot pnp out - M12	964401140
TLu-315 Push-Pull = Contrast sensor 9mm. white push-pull - M12	954151130
TLu-355 Push-Pull = Contrast sensor 9mm. white push-pull - M12	954151170
TLu-365 Push-Pull = Contrast sensor 9mm. white push-pull - M12	954151150
TLu-411C = Contrast sensor 9mm. white - M12	954151410
TLu-415C = Contrast sensor 9mm. white circular spot npn out - M12	954151330
TLu-445 = Contrast sensor 9mm. white fiber optics npn out - M12	954151350
TLu-511C = Contrast sensor 9mm. white - M12	954151420
TLu-515C = Contrast sensor 9mm. white circular spot pnp out - M12	954151360
TLu-541 = Contrast sensor 9mm. white - M12	954151440
TLu-545 = Contrast sensor 9mm. white fiber optics pnp out - M12	954151380
TLu-745 = Contrast sensor 9mm. white fiber optics push-pull - M12	954155030

<b>CABLES</b>	
CS-A1-02-B-NC = M12 4-p axial PG	G5085002
CS-A1-02-G-03 = M12 4-p axial 3m	95A251380
CS-A1-02-G-05 = M12 4-p axial 5m	95A251270
CS-A1-02-G-10 = M12 4-p axial 10m	95A251390
CS-A1-02-O-05 = M12 4-p axial 5m CEI 2034-01	95A251710
CS-A1-02-O-10 = M12 4-p axial 10m CEI 2034-01	95A251090
CS-A1-02-R-02 = M12 4-p axial 2m PUR	95A251540
CS-A1-02-R-05 = M12 4-p axial 5m PUR	95A251560
CS-A1-02-U-03 = M12 4-p axial 3m UL 2464	95ASE1120
CS-A1-02-U-05 = M12 4-p axial 5m UL 2464	95ASE1130
CS-A1-02-U-10 = M12 4-p axial 10m UL 2464	95ASE1140
CS-A1-02-U-15 = M12 4-p axial 15m UL 2464	95ASE1150
CS-A1-02-U-25 = M12 4-p axial 25m UL 2464	95ASE1160
CS-A2-02-B-NC = M12 4-p radial PG	G5085003
CS-A2-02-G-03 = M12 4-p radial 3m	95A251360
CS-A2-02-G-05 = M12 4-p radial 5m	95A251240
CS-A2-02-G-07 = M12 4-p radial 7m	95A251245
CS-A2-02-G-10 = M12 4-p radial 10m	95A251260
CS-A2-02-O-05 = M12 4-p radial 5m CEI 2034-01	95A251690
CS-A2-02-O-10 = M12 4-p radial 10m CEI 2034-01	95A251700
CS-A2-02-R-02 = M12 4-p radial 2m PUR	95A251550
CS-A2-02-R-05 = M12 4-p radial 5m PUR	95A251570
CS-A2-12-G-03 = M12 4-p radial 3m LED	95A251400
CS-A2-12-G-05 = M12 4-p radial 5m LED	95A251350
CS-A2-12-G-10 = M12 4-p radial 10m LED	95A251370

<b>OPTIC LENS/SLIT</b>	
LENS Hi-Resolution = Lens HI-RES glass	95ACC1050
LENS No. 18 = Lens No.18 glass	95ACC2680
LENS No. 22 = Lens No.22 glass	95ACC1100
LENS No. 28 = Lens No.28 glass	890000194
LENS No. 40 = Lens No.40-60 glass	95ACC2740
LENS No. 50 = Lens No.50 BOC-511	S73030511
LENS No. 9 = Lens No.9 glass	95ACC2670
LENS No. 9 PMMA = Lens No.9 PMMA	95ACC2540