

Area/Dimension Photoelectric Sensor

DS2-05-07-015-JV = Light grids H=150mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501040
DS2-05-07-030-JV = Light grids H=300mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501050
DS2-05-07-045-JV = Light grids H=450mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501060
DS2-05-07-060-JE = Light grids H=600mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501150
DS2-05-07-060-JV = Light grids H=600mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501000
DS2-05-07-075-JE = Light grids H=750mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501160
DS2-05-07-075-JV = Light grids H=750mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501070
DS2-05-07-090-JE = Light grids H=900mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501170
DS2-05-07-090-JV = Light grids H=900mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501010
DS2-05-07-105-JV = Light grids H=1050mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501080
DS2-05-07-120-JE = Light grids H=1200mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501180
DS2-05-07-120-JV = Light grids H=1200mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501020
DS2-05-07-135-JV = Light grids H=1350mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501090
DS2-05-07-150-JE = Light grids H=1500mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501190
DS2-05-07-150-JV = Light grids H=1500mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501100
DS2-05-07-165-JE = Light grids H=1650mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	957501200
DS2-05-07-165-JV = Light grids H=1650mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501030
DS2-05-25-045-JV = Light grids H=450mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501110
DS2-05-25-060-JV = Light grids H=600mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501140
DS2-05-25-075-JV = Light grids H=750mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501120
DS2-05-25-090-JV = Light grids H=900mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	957501130

CABLES	
CS-A1-02-B-NC = M12 4-p axial PG	G5085002
CS-A1-02-G-03 = M12 4-p axial 3m	95A251380
CS-A1-02-G-05 = M12 4-p axial 5m	95A251270
CS-A1-02-G-07 = M12 4-p axial 7m	95A251280
CS-A1-02-G-10 = M12 4-p axial 10m	95A251390
CS-A1-02-O-05 = M12 4-p axial 5m CEI 2034-01	95A251710
CS-A1-02-O-10 = M12 4-p axial 10m CEI 2034-01	95A251090
CS-A1-02-R-02 = M12 4-p axial 2m PUR	95A251540
CS-A1-02-R-05 = M12 4-p axial 5m PUR	95A251560
CS-A1-02-U-03 = M12 4-p axial 3m UL 2464	95ASE1120
CS-A1-02-U-05 = M12 4-p axial 5m UL 2464	95ASE1130
CS-A1-02-U-10 = M12 4-p axial 10m UL 2464	95ASE1140
CS-A1-02-U-15 = M12 4-p axial 15m UL 2464	95ASE1150
CS-A1-02-U-25 = M12 4-p axial 25m UL 2464	95ASE1160
CS-A1-06-B-03 = M12 8-p axial 3m	95ACC2230
CS-A1-06-B-05 = M12 8-p axial 5m	95ACC2240
CS-A1-06-B-10 = M12 8-p axial 10m	95ACC2250
CS-A1-06-B-NC = M12 8-p axial PG	95ACC2550
CS-A1-06-U-03 = M12 8-p axial 3m UL 2464	95ASE1220
CS-A1-06-U-05 = M12 8-p axial 5m UL 2464	95ASE1230
CS-A1-06-U-10 = M12 8-p axial 10m UL 2464	95ASE1240
CS-A1-06-U-15 = M12 8-p axial 15m UL 2464	95ASE1250
CS-A1-06-U-25 = M12 8-p axial 25m UL 2464	95ASE1260
CS-A1-06-U-50 = M12 8-p axial 50m UL 2464	95A252710
CS-A2-02-B-NC = M12 4-p radial PG	G5085003
CS-A2-02-G-03 = M12 4-p radial 3m	95A251360
CS-A2-02-G-05 = M12 4-p radial 5m	95A251240

CS-A2-02-G-07 = M12 4-p radial 7m	95A251245
CS-A2-02-G-10 = M12 4-p radial 10m	95A251260
CS-A2-02-O-05 = M12 4-p radial 5m CEI 2034-01	95A251690
CS-A2-02-O-10 = M12 4-p radial 10m CEI 2034-01	95A251700
CS-A2-02-R-02 = M12 4-p radial 2m PUR	95A251550
CS-A2-02-R-05 = M12 4-p radial 5m PUR	95A251570
CS-A2-12-G-03 = M12 4-p radial 3m LED	95A251400
CS-A2-12-G-05 = M12 4-p radial 5m LED	95A251350
CS-A2-12-G-10 = M12 4-p radial 10m LED	95A251370