

Safety Light Curtain

SG2-30-015-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 150 mm edm coded man/auto	957801340
SG2-30-015-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 150 mm autorestart	957801000
SG2-30-030-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 300 mm edm coded man/auto	957801350
SG2-30-030-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 300 mm edm man/auto muting	957801700
SG2-30-030-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 300 mm autorestart	957801010
SG2-30-045-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 450 mm edm coded man/auto	957801360
SG2-30-045-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 450 mm edm man/auto muting	957801710
SG2-30-045-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 450 mm autorestart	957801020
SG2-30-060-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 600 mm edm coded man/auto	957801370
SG2-30-060-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 600 mm edm man/auto muting	957801720
SG2-30-060-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 600 mm autorestart	957801030
SG2-30-075-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 750 mm edm coded man/auto	957801380
SG2-30-075-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 750 mm edm man/auto muting	957801730
SG2-30-075-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 750 mm autorestart	957801040
SG2-30-090-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 900 mm edm coded man/auto	957801390
SG2-30-090-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 900 mm edm man/auto muting	957801740
SG2-30-090-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 900 mm autorestart	957801050
SG2-30-105-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1050 mm edm coded man/auto	957801400
SG2-30-105-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1050 mm edm man/auto muting	957801750
SG2-30-105-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1050 mm autorestart	957801060
SG2-30-120-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1200 mm edm coded man/auto	957801410
SG2-30-120-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1200 mm edm man/auto muting	957801760
SG2-30-120-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1200 mm autorestart	957801070
SG2-30-135-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1350 mm edm coded man/auto	957801420
SG2-30-135-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1350 mm edm man/auto muting	957801770
SG2-30-135-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1350 mm autorestart	957801080
SG2-30-150-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1500 mm edm coded man/auto	957801430

SG2-30-150-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1500 mm edm man/auto muting	957801780
SG2-30-150-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1500 mm autorestart	957801090
SG2-30-165-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1650 mm edm coded man/auto	957801440
SG2-30-165-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1650 mm edm man/auto muting	957801790
SG2-30-165-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1650 mm autorestart	957801100
SG2-30-180-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 30 mm h = 1800 mm edm coded man/auto	957801450
SG2-30-180-OO-W SG2 MUTING safety light curtain type 2 res = 30 mm h = 1800 mm edm man/auto muting	957801800
SG2-30-180-OO-X SG2 BASE safety light curtain type 2 res = 30 mm h = 1800 mm autorestart	957801110
SG2-50-030-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 300 mm edm coded man/auto	957801460
SG2-50-030-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 300 mm autorestart	957801120
SG2-50-045-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 450 mm edm coded man/auto	957801470
SG2-50-045-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 450 mm autorestart	957801130
SG2-50-060-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 600 mm edm coded man/auto	957801480
SG2-50-060-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 600 mm autorestart	957801140
SG2-50-075-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 750 mm edm coded man/auto	957801490
SG2-50-075-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 750 mm autorestart	957801150
SG2-50-090-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 900 mm edm coded man/auto	957801500
SG2-50-090-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 900 mm autorestart	957801160
SG2-50-105-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1050 mm edm coded man/auto	957801510
SG2-50-105-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1050 mm autorestart	957801170
SG2-50-120-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1200 mm edm coded man/auto	957801520
SG2-50-120-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1200 mm autorestart	957801180
SG2-50-135-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1350 mm edm coded man/auto	957801530
SG2-50-135-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1350 mm autorestart	957801190
SG2-50-150-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1500 mm edm coded man/auto	957801540
SG2-50-150-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1500 mm autorestart	957801200
SG2-50-165-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1650 mm edm coded man/auto	957801550
SG2-50-165-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1650 mm autorestart	957801210

SG2-50-180-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 50 mm h = 1800 mm edm coded man/auto	957801560
SG2-50-180-OO-X SG2 BASE safety light curtain type 2 res = 50 mm h = 1800 mm autorestart	957801220
SG2-90-030-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 300 mm edm coded man/auto	957801570
SG2-90-030-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 300 mm autorestart	957801230
SG2-90-045-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 450 mm edm coded man/auto	957801580
SG2-90-045-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 450 mm autorestart	957801240
SG2-90-060-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 600 mm edm coded man/auto	957801590
SG2-90-060-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 600 mm autorestart	957801250
SG2-90-075-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 750 mm edm coded man/auto	957801600
SG2-90-075-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 750 mm autorestart	957801260
SG2-90-090-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 900 mm edm coded man/auto	957801610
SG2-90-090-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 900 mm autorestart	957801270
SG2-90-105-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1050 mm edm coded man/auto	957801620
SG2-90-105-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1050 mm autorestart	957801280
SG2-90-120-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1200 mm edm coded man/auto	957801630
SG2-90-120-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1200 mm autorestart	957801290
SG2-90-135-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1350 mm edm coded man/auto	957801640
SG2-90-135-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1350 mm autorestart	957801300
SG2-90-150-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1500 mm edm coded man/auto	957801650
SG2-90-150-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1500 mm autorestart	957801310
SG2-90-165-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1650 mm edm coded man/auto	957801660
SG2-90-165-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1650 mm autorestart	957801320
SG2-90-180-OO-E-C SG2 EXTENDED safety light curtain type 2 res = 90 mm h = 1800 mm edm coded man/auto	957801670
SG2-90-180-OO-X SG2 BASE safety light curtain type 2 res = 90 mm h = 1800 mm autorestart	957801330

CABLES	
Cable M12 4-p axial 10m	95A251390
Cable M12 4-p axial 10m CEI 2034-01	95A251090
Cable M12 4-p axial 10m UL 2464	95ASE1140
Cable M12 4-p axial 15m UL 2464	95ASE1150
Cable M12 4-p axial 25m UL 2464	95ASE1160
Cable M12 4-p axial 2m PUR	95A251540
Cable M12 4-p axial 3m	95A251380
Cable M12 4-p axial 3m UL 2464	95ASE1120
Cable M12 4-p axial 5m	95A251270
Cable M12 4-p axial 5m CEI 2034-01	95A251710
Cable M12 4-p axial 5m PUR	95A251560
Cable M12 4-p axial 5m UL 2464	95ASE1130
Cable M12 4-p axial PG	G5085002
Cable M12 4-p radial 10m	95A251260
Cable M12 4-p radial 10m CEI 2034-01	95A251700
Cable M12 4-p radial 10m LED	95A251370
Cable M12 4-p radial 2m PUR	95A251550
Cable M12 4-p radial 3m	95A251360
Cable M12 4-p radial 3m LED	95A251400
Cable M12 4-p radial 5m	95A251240
Cable M12 4-p radial 5m CEI 2034-01	95A251690
Cable M12 4-p radial 5m LED	95A251350
Cable M12 4-p radial 5m PUR	95A251570
Cable M12 4-p radial PG	G5085003
Cable M12 5-p axial 10m	95ACC2140
Cable M12 5-p axial 10m UL 2464	95ASE1190
Cable M12 5-p axial 3m	95ACC2110

Cable M12 5-p axial 3m UL 2464	95ASE1170
Cable M12 5-p axial 5m	95ACC2120
Cable M12 5-p axial 5m UL 2464	95ASE1180
Cable M12 8 poli 10m nero	95ACC2250
Cable M12 8-p axial 3m	95ACC2230
Cable M12 8-p axial 5m	95ACC2240
Cable M12 8-p axial PG	95ACC2550
Cable SE 4pin 90° CABLE 10m	95ACC1560
Cable SE 4pin 90° CABLE 3m	95ACC1540
Cable SE 4pin 90° CABLE 5m BLACK	95ACC1550
Cable SE 8pin 90° CABLE 10m	95ACC1620
Cable SE 8pin 90° CABLE 3m	95ACC1600
Cable SE 8pin 90° CABLE 5m BLACK	95ACC1610
Cable SE 8pin CABLE 10m	95ACC1530
Cable SE 8pin CABLE 15m	95ACC2080
Cable SE 8pin CABLE 25m	95ACC2100
Cable SE 8pin CABLE 3m	95ACC1510
Cable SE 8pin CABLE 5m	95ACC1520
CS-A1-06-U-03 M12 8-p axial 3m UL 2464	95ASE1220
CS-A1-06-U-05 M12 8-p axial 5m UL 2464	95ASE1230
CS-A1-06-U-10 M12 8-p axial 10m UL 2464	95ASE1240
CS-A1-10-U-03 M12 12-p axial 3m	95A252720
CS-A1-10-U-05 M12 12-p axial 5m	95A252730
CS-A1-10-U-10 M12 12-p axial 10m	95A252740
CS-A1-10-U-15 M12 12-p axial 15m	95A252750
CS-A1-10-U-25 M12 12-p axial 25m	95A252760
CS-A1-10-U-50 M12 12-p axial 50m	95A252770
CS-M1-02-B-004 Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 400 mm	95ASE2470

CS-M1-02-B-007 Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 700 mm	95ASE2480
CS-M1-02-B-02 Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 2000 mm	95ASE2490
CV-L1-02-B-007 M12 4-pole L Muting cable	95ACC2570
CV-Y1-02-B-007 M12 4-pole T Muting cable	95ACC2560

MISCELLANEOUS	
SG-LP Laser pointer	95ASE5590
TP-14 Test piece \varnothing 14 mm	95ACC1630
TP-30 Test piece \varnothing 30 mm	95ACC1650

MOUNTS/STANDS	
Floor support with 2 independent mirrors 500 mm	95ASE0062
Floor support with 3 independent mirrors 800 mm	95ASE0063
Floor support with 4 independent mirrors 1200 mm	95ASE0065
Floor support with 4 independent mirrors 900 mm	95ASE0064
Floor support with single mirror 1200 mm	95ASE0067
Floor support with single mirror 1500 mm	95ASE0068
Floor support with single mirror 900 mm	95ASE0066
SG-DM 1200 Deviating mirror h = 1200 mm	95ASE1700
SG-DM 150 Deviating mirror h = 150 mm	95ASE1670
SG-DM 1650 Deviating mirror h = 1650 mm	95ASE1710
SG-DM 1900 Deviating mirror h = 1900 mm	95ASE1720
SG-DM 600 Deviating mirror h = 600 mm	95ASE1680
SG-DM 900 Deviating mirror h = 900 mm	95ASE1690
SG-IP69K 1050 IP69K protection tubes h = 1050 mm	95ASE1350
SG-IP69K 1350 IP69K protection tubes h = 1350 mm	95ASE1370
SG-IP69K 150 IP69K protection tubes h = 150 mm	95ASE1290
SG-IP69K 1500 IP69K protection tubes h = 1500 mm	95ASE1380

SG-IP69K 1650 IP69K protection tubes h = 1650 mm	95ASE1390
SG-IP69K 1800 IP69K protection tubes h = 1800 mm	95ASE1400
SG-IP69K 300 IP69K protection tubes h = 300 mm	95ASE1300
SG-IP69K 450 IP69K protection tubes h = 450 mm	95ASE1310
SG-IP69K 600 IP69K protection tubes h = 600 mm	95ASE1320
SG-IP69K 750 IP69K protection tubes h = 750 mm	95ASE1330
SG-IP69K 900 IP69K protection tubes h = 900 mm	95ASE1340
SG-IP69K-2-050 IP69K protection tubes h = 500 mm	95ASE1410
SG-IP69K-3-080 IP69K protection tubes h = 800 mm	95ASE1420
SG-IP69K-4-090 IP69K protection tubes h = 900 mm	95ASE1430
SG-IP69K-4-120 IP69K protection tubes h = 1200 mm	95ASE1440
SG-P Plate kit for protective SG-PSB stands	95ASE2290
SG-PSB 1000 Protective stand h = 1000 mm	95ASE2250
SG-PSB 1200 Protective stand h = 1200 mm	95ASE2260
SG-PSB 1650 Protective stand h = 1650 mm	95ASE2270
SG-PSB 1900 Protective stand h = 1900 mm	95ASE2280
SG-PSB 600 Protective stand h = 600 mm	95ASE2240
SH Floor support 1200 mm	95ASE0057
SH Floor support 1500 mm	95ASE0058
SH Floor support 1800 mm	95ASE0059
SH Floor Support 360° Adjusting Plate	95ASE0060
SH Floor Support 360° Adjusting Plate with Springs	95ASE0061
SH Floor support 900 mm	95ASE0056
ST-DM Deviating mirrors SG-DM mounting kit	95ASE1940
ST-K20-MI SG mounting inserts 20 pcs	95ASE2980
ST-K4AV Anti vibration supports 4 pcs kit	95ACC1700
ST-K4OR Orientable supports 4 pcs kit	95ACC1680
ST-K4ROT Metal top-bottom rotative brackets 4 pcs kit	95ASE1280

ST-K6AV Anti vibration supports 6 pcs kit	95ACC1710
ST-K6OR Orientable supports 6 pcs kit	95ACC1690
ST-KCASCADE SG4 EXTENDED cascading connection bracket	95ASE2110
ST-KP4MP Plastic angled brackets 4 pcs kit	95ASE1100
ST-KSTD Metal angled brackets 4 pcs kit	95ACC1670
ST-PS4-SG-SE Protective stand 4 pcs mounting kit for SE/SG	95ASE1750
ST-PS6-SG-SE Protective stand 6 pcs mounting kit for SE/SG	95ASE1760
ST-PS-DM Deviating mirror mounting kit	95ASE1770

MUTING KIT	
"SG-M-CB SG-M Connection Box, for up to 4 sensors	95ASE2500
"SG-ML-S100-200-L Kit for L Muting, left side	95ASE2610
"SG-ML-S100-200-R Kit for L Muting, right side	95ASE2400
"SG-ML-S100-L Kit for L Muting, left side	95ASE2620
"SG-ML-S100-R Kit for L Muting, right side	95ASE2430
"SG-ML-S8-200-L Kit for L Muting, left side	95ASE2590
"SG-ML-S8-200-R Kit for L Muting, right side	95ASE2340
"SG-ML-S8-L Kit for L Muting, left side	95ASE2600
"SG-ML-S8-R Kit for L Muting, right side	95ASE2370
"SG-MT-S100 Kit for T Muting	95ASE2440
"SG-MT-S100-200 Kit for T Muting	95ASE2410
"SG-MT-S8 Kit for T Muting	95ASE2380
"SG-MT-S8-200 Kit for T Muting	95ASE2350
"SG-MX-S100 Kit for X Muting	95ASE2450
"SG-MX-S100-200 Kit for X Muting	95ASE2420
"SG-MX-S8 Kit for X Muting	95ASE2390
"SG-MX-S8-200 Kit for X Muting	95ASE2360
LMS Muting lamp	95ASE1830

LMS-1 Modular muting lamp	95ACC1990
LMS-2 Muting lamp horizontal fixing	95ACC2000
LMS-3 Muting lamp vertical fixing	95ACC2010
SG-AS-ARM Integrated muting arm active sensor ver.2	95ASE1841
SG-CB-B Integrated muting arms mounting bracket kit for SG BODY BIG	95ASE1920
SG-CB-C Integrated muting arms mounting bracket kit for SG BODY COMPACT	95ASE1930
SG-F1-G1-ARMS Integrated Emitter/Receiver muting arms first couple	95ASE1880
SG-F2-G2-ARMS Integrated Emitter/Receiver muting arms second couple	95ASE1890
SG-L-ARMS Integrated retroreflective muting arms for L muting ver.2	95ASE1861
SG-M-ARM SG-M single arm	95ASE2460
SG-M-BRACKET SG-M Muting Kit single bracket, for S8 or S100 sensors, or reflector	95ASE2630
SG-M-CB-KIT SG-M Connection Box mounting kit	95ASE2830
SG-PR-ARM Integrated muting arm passive reflector ver.2	95ASE1851
SG-T-ARMS Integrated retroreflective muting arms for T muting ver.2	95ASE1871
SU-LMS-1A Basic support for LMS-1	95ACC2020
SU-LMS-1B Tower support for LMS-1	95ACC2030

OPTIC LENS/SLIT	
SG-LS 1050 Lens shield h = 1050 mm	95ASE1510
SG-LS 1200 Lens shield h = 1200 mm	95ASE1520
SG-LS 1350 Lens shield h = 1350 mm	95ASE1530
SG-LS 150 Lens shield h = 150 mm	95ASE1450
SG-LS 1500 Lens shield h = 1500 mm	95ASE1540
SG-LS 1650 Lens shield h = 1650 mm	95ASE1550
SG-LS 1800 Lens shield h = 1800 mm	95ASE1560
SG-LS 300 Lens shield h = 300 mm	95ASE1460
SG-LS 450 Lens shield h = 450 mm	95ASE1470
SG-LS 600 Lens shield h = 600 mm	95ASE1480

SG-LS 750 Lens shield h = 750 mm	95ASE1490
SG-LS 900 Lens shield h = 900 mm	95ASE1500

SAFETY INTERFACE	
CSME-03VU24-Y14 Forced guided relay interface 3NO + 1 NC	95ASE1270
SE-SR2 Safety unit 3NO + 1NC outputs	95ACC6170
SG-SRT-1 Muting connection box with forcibly guided relays 2NO start pushbutton override key selector	95ASE2050
SG-SRT-2 Muting connection box with forcibly guided relays 2NO start pushbutton override key selector muting lamp	95ASE2060