

## Safety Light Curtain

|  |           |
|--|-----------|
| SG4-14-015-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=150mm edm man/auto coded                   | 957901000 |
| SG4-14-015-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=150mm autorestart                          | 957901460 |
| SG4-14-030-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=300mm edm man/auto coded                   | 957901010 |
| SG4-14-030-OO-N 14mm edm m/a mut 8p  | 957902350 |
| SG4-14-030-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=300mm edm man/auto coded programmable  | 957901240 |
| SG4-14-030-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=300mm autorestart                          | 957901470 |
| SG4-14-045-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=450mm edm man/auto coded                   | 957901020 |
| SG4-14-045-OO-N 14mm edm m/a mut 8p  | 957902360 |
| SG4-14-045-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=450mm edm man/auto coded programmable  | 957901250 |
| SG4-14-045-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=450mm autorestart                          | 957901480 |
| SG4-14-060-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=600mm edm man/auto coded                   | 957901030 |
| SG4-14-060-OO-N 14mm edm m/a mut 8p  | 957902370 |
| SG4-14-060-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=600mm edm man/auto coded programmable  | 957901260 |
| SG4-14-060-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=600mm autorestart                          | 957901490 |
| SG4-14-075-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=750mm edm man/auto coded                   | 957901040 |
| SG4-14-075-OO-N 14mm edm m/a mut 8p  | 957902380 |
| SG4-14-075-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=750mm edm man/auto coded programmable  | 957901270 |
| SG4-14-075-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=750mm autorestart                          | 957901500 |
| SG4-14-090-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=900mm edm man/auto coded                   | 957901050 |
| SG4-14-090-OO-N 14mm edm m/a mut 8p  | 957902390 |
| SG4-14-090-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=900mm edm man/auto coded programmable  | 957901280 |
| SG4-14-090-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=900mm autorestart                          | 957901510 |
| SG4-14-105-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1050mm edm man/auto coded                  | 957901060 |
| SG4-14-105-OO-N 14mm edm m/a mut 8p  | 957902400 |
| SG4-14-105-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1050mm edm man/auto coded programmable | 957901290 |
| SG4-14-105-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1050mm autorestart                         | 957901520 |
| SG4-14-120-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1200mm edm man/auto coded                  | 957901070 |

|  |           |
|--|-----------|
| SG4-14-120-OO-N 14mm edm m/a mut 8p  | 957902410 |
| SG4-14-120-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1200mm edm man/auto coded programmable | 957901300 |
| SG4-14-120-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1200mm autorestart                         | 957901530 |
| SG4-14-135-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1350mm edm man/auto coded                  | 957901080 |
| SG4-14-135-OO-N 14mm edm m/a mut 8p  | 957902420 |
| SG4-14-135-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1350mm edm man/auto coded programmable | 957901310 |
| SG4-14-135-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1350mm autorestart                         | 957901540 |
| SG4-14-150-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1500mm edm man/auto coded                  | 957901090 |
| SG4-14-150-OO-N 14mm edm m/a mut 8p  | 957902430 |
| SG4-14-150-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1500mm edm man/auto coded programmable | 957901320 |
| SG4-14-150-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1500mm autorestart                         | 957901550 |
| SG4-14-165-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1650mm edm man/auto coded                  | 957901100 |
| SG4-14-165-OO-N 14mm edm m/a mut 8p  | 957902440 |
| SG4-14-165-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1650mm edm man/auto coded programmable | 957901330 |
| SG4-14-165-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1650mm autorestart                         | 957901560 |
| SG4-14-180-OO-E = SG4 BASE safety light curtain type 4 res=14mm h=1800mm edm man/auto coded                  | 957901110 |
| SG4-14-180-OO-N 14mm edm m/a mut 8p  | 957902450 |
| SG4-14-180-OO-P = SG4 EXTENDED safety light curtain type 4 res=14mm h=1800mm edm man/auto coded programmable | 957901340 |
| SG4-14-180-OO-X = SG4 BASE safety light curtain type 4 res=14mm h=1800mm autorestart                         | 957901570 |
| SG4-30-015-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=150mm edm man/auto coded                   | 957901120 |
| SG4-30-015-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=150mm autorestart                          | 957901690 |
| SG4-30-030-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=300mm edm man/auto coded                   | 957901130 |
| SG4-30-030-OO-N 30mm edm m/a mut 8p  | 957902460 |
| SG4-30-030-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=300mm edm man/auto coded programmable  | 957901350 |
| SG4-30-030-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=300mm autorestart                          | 957901580 |
| SG4-30-045-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=450mm edm man/auto coded                   | 957901140 |
| SG4-30-045-OO-N 30mm edm m/a mut 8p  | 957902470 |
| SG4-30-045-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=450mm edm man/auto coded programmable  | 957901360 |

|  |           |
|--|-----------|
| SG4-30-045-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=450mm autorestart                          | 957901590 |
| SG4-30-060-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=600mm edm man/auto coded                   | 957901150 |
| SG4-30-060-OO-N 30mm edm m/a mut 8p  | 957902480 |
| SG4-30-060-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=600mm edm man/auto coded programmable  | 957901370 |
| SG4-30-060-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=600mm autorestart                          | 957901600 |
| SG4-30-075-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=750mm edm man/auto coded                   | 957901160 |
| SG4-30-075-OO-N 30mm edm m/a mut 8p  | 957902490 |
| SG4-30-075-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=750mm edm man/auto coded programmable  | 957901380 |
| SG4-30-075-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=750mm autorestart                          | 957901610 |
| SG4-30-090-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=900mm edm man/auto coded                   | 957901170 |
| SG4-30-090-OO-N 30mm edm m/a mut 8p  | 957902500 |
| SG4-30-090-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=900mm edm man/auto coded programmable  | 957901390 |
| SG4-30-090-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=900mm autorestart                          | 957901620 |
| SG4-30-105-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1050mm edm man/auto coded                  | 957901180 |
| SG4-30-105-OO-N 30mm edm m/a mut 8p  | 957902510 |
| SG4-30-105-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1050mm edm man/auto coded programmable | 957901400 |
| SG4-30-105-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1050mm autorestart                         | 957901630 |
| SG4-30-120-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1200mm edm man/auto coded                  | 957901190 |
| SG4-30-120-OO-N 30mm edm m/a mut 8p  | 957902520 |
| SG4-30-120-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1200mm edm man/auto coded programmable | 957901410 |
| SG4-30-120-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1200mm autorestart                         | 957901640 |
| SG4-30-135-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1350mm edm man/auto coded                  | 957901200 |
| SG4-30-135-OO-N 30mm edm m/a mut 8p  | 957902530 |
| SG4-30-135-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1350mm edm man/auto coded programmable | 957901420 |
| SG4-30-135-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1350mm autorestart                         | 957901650 |
| SG4-30-150-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1500mm edm man/auto coded                  | 957901210 |
| SG4-30-150-OO-N 30mm edm m/a mut 8p  | 957902540 |
| SG4-30-150-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1500mm edm man/auto coded programmable | 957901430 |

|  |           |
|--|-----------|
| SG4-30-150-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1500mm autorestart                         | 957901660 |
| SG4-30-165-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1650mm edm man/auto coded                  | 957901220 |
| SG4-30-165-OO-N 30mm edm m/a mut 8p  | 957902550 |
| SG4-30-165-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1650mm edm man/auto coded programmable | 957901440 |
| SG4-30-165-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1650mm autorestart                         | 957901670 |
| SG4-30-180-OO-E = SG4 BASE safety light curtain type 4 res=30mm h=1800mm edm man/auto coded                  | 957901230 |
| SG4-30-180-OO-N 30mm edm m/a mut 8p  | 957902560 |
| SG4-30-180-OO-P = SG4 EXTENDED safety light curtain type 4 res=30mm h=1800mm edm man/auto coded programmable | 957901450 |
| SG4-30-180-OO-X = SG4 BASE safety light curtain type 4 res=30mm h=1800mm autorestart                         | 957901680 |

| <b>CABLES</b>                                 |           |
|---|-----------|
| CS-A1-02-B-NC = M12 4-p axial PG              | G5085002  |
| CS-A1-02-G-03 = M12 4-p axial 3m              | 95A251380 |
| CS-A1-02-G-05 = M12 4-p axial 5m              | 95A251270 |
| CS-A1-02-G-10 = M12 4-p axial 10m             | 95A251390 |
| CS-A1-02-O-05 = M12 4-p axial 5m CEI 2034-01  | 95A251710 |
| CS-A1-02-O-10 = M12 4-p axial 10m CEI 2034-01 | 95A251090 |
| CS-A1-02-R-02 = M12 4-p axial 2m PUR          | 95A251540 |
| CS-A1-02-R-05 = M12 4-p axial 5m PUR          | 95A251560 |
| CS-A1-02-U-03 = M12 4-p axial 3m UL 2464      | 95ASE1120 |
| CS-A1-02-U-05 = M12 4-p axial 5m UL 2464      | 95ASE1130 |
| CS-A1-02-U-10 = M12 4-p axial 10m UL 2464     | 95ASE1140 |
| CS-A1-02-U-15 = M12 4-p axial 15m UL 2464     | 95ASE1150 |
| CS-A1-02-U-25 = M12 4-p axial 25m UL 2464     | 95ASE1160 |
| CS-A1-03-G-03 = M12 5-p axial 3m              | 95ACC2110 |
| CS-A1-03-G-05 = M12 5-p axial 5m              | 95ACC2120 |
| CS-A1-03-G-10 = M12 5-p axial 10m             | 95ACC2140 |
| CS-A1-03-U-03 = M12 5-p axial 3m UL 2464      | 95ASE1170 |

|   |           |
|---|-----------|
| CS-A1-03-U-05 = M12 5-p axial 5m UL 2464            | 95ASE1180 |
| CS-A1-03-U-10 = M12 5-p axial 10m UL 2464           | 95ASE1190 |
| CS-A1-06-B-03 = M12 8-p axial 3m                    | 95ACC2230 |
| CS-A1-06-B-05 = M12 8-p axial 5m                    | 95ACC2240 |
| CS-A1-06-B-10 M12 8 poli 10m nero                   | 95ACC2250 |
| CS-A1-06-B-NC = M12 8-p axial PG                    | 95ACC2550 |
| CS-A1-06-U-03 = M12 8-p axial 3m UL 2464            | 95ASE1220 |
| CS-A1-06-U-05 = M12 8-p axial 5m UL 2464            | 95ASE1230 |
| CS-A1-06-U-10 = M12 8-p axial 10m UL 2464           | 95ASE1240 |
| CS-A1-10-U-03 = M12 12-p axial 3m                   | 95A252720 |
| CS-A1-10-U-05 = M12 12-p axial 5m                   | 95A252730 |
| CS-A1-10-U-10 = M12 12-p axial 10m                  | 95A252740 |
| CS-A1-10-U-15 = M12 12-p axial 15m                  | 95A252750 |
| CS-A1-10-U-25 = M12 12-p axial 25m                  | 95A252760 |
| CS-A1-10-U-50 = M12 12-p axial 50m                  | 95A252770 |
| CS-A2-02-B-NC = M12 4-p radial PG                   | G5085003  |
| CS-A2-02-G-03 = M12 4-p radial 3m                   | 95A251360 |
| CS-A2-02-G-05 = M12 4-p radial 5m                   | 95A251240 |
| CS-A2-02-G-10 = M12 4-p radial 10m                  | 95A251260 |
| CS-A2-02-O-05 = M12 4-p radial 5m CEI 2034-01       | 95A251690 |
| CS-A2-02-O-10 = M12 4-p radial 10m CEI 2034-01      | 95A251700 |
| CS-A2-02-R-02 = M12 4-p radial 2m PUR               | 95A251550 |
| CS-A2-02-R-05 = M12 4-p radial 5m PUR               | 95A251570 |
| CS-A2-12-G-03 = M12 4-p radial 3m LED               | 95A251400 |
| CS-A2-12-G-05 = M12 4-p radial 5m LED               | 95A251350 |
| CS-A2-12-G-10 = M12 4-p radial 10m LED              | 95A251370 |
| CS-F1-80-B-0005SG = SG EXTENDED Cascade cable 0.05m | 95A252860 |
| CS-F1-80-B-005 = SG EXTENDED Cascade cable 0.5m     | 95A252850 |

|   |           |
|---|-----------|
| CS-F1-80-B-01 = SG EXTENDED Cascade cable 1m  | 95A252840 |
| CS-G1-50-B-002 = SG EXTENDED TX 0,2m  | 95A252820 |
| CS-G1-60-B-002 = SE-SG CABLE 0,2M   | 95A252910 |
| CS-G1-70-B-002 = SG EXTENDED BLANK RX 0.2m  | 95A252830 |
| CS-M1-02-B-004 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 400mm | 95ASE2470 |
| CS-M1-02-B-007 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 700mm | 95ASE2480 |
| CS-M1-02-B-02 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 2000mm | 95ASE2490 |
| CS-R1-75-B-002 = SG EXTENDED MUTING RX 0.2  | 95A252810 |
| CV-A1-23-B-005-2F = SE 5pin CABLE 0,5m  | 95ACC2440 |
| CV-A1-23-B-01-2F = SE 5pin CABLE 1m   | 95ACC2450 |
| CV-A1-26-B-03 = SE 8pin CABLE 3m  | 95ACC1510 |
| CV-A1-26-B-05 = SE 8pin CABLE 5m  | 95ACC1520 |
| CV-A1-26-B-10 = SE 8pin CABLE 10m   | 95ACC1530 |
| CV-A1-26-B-15 = SE 8pin CABLE 15m   | 95ACC2080 |
| CV-A1-26-B-25 = SE 8pin CABLE 25m   | 95ACC2100 |
| CV-A2-22-B-03 = SE 4pin 90&deg; CABLE 3m  | 95ACC1540 |
| CV-A2-22-B-05 = SE 4pin 90&deg; CABLE 5m BLACK  | 95ACC1550 |
| CV-A2-22-B-10 = SE 4pin 90&deg; CABLE 10m   | 95ACC1560 |
| CV-A2-26-B-03 = SE 8pin 90&deg; CABLE 3m  | 95ACC1600 |
| CV-A2-26-B-05 = SE 8pin 90&deg; CABLE 5m BLACK  | 95ACC1610 |
| CV-A2-26-B-10 = SE 8pin 90&deg; CABLE 10m   | 95ACC1620 |
| CV-L1-02-B-007 = M12 4-pole L Muting cable  | 95ACC2570 |
| CV-Y1-02-B-007 = M12 4-pole T Muting cable  | 95ACC2560 |
| CV-Y2-02-G-0007 = M12 4p EXT MUTING DRIVER  | 95ACC2600 |
| CV-Y3-36-B-002 = SE BODY CROSSOVER 0,2m   | 95A252900 |

| <b>MISCELLANEOUS</b>             |           |
|----------------------------------|-----------|
| SG-LP = Laser pointer            | 95ASE5590 |
| TP-14 = Test piece & slash; 14mm | 95ACC1630 |
| TP-30 = Test piece & slash; 30mm | 95ACC1650 |
| TP-40 = Test piece & slash; 40mm | 95ASE1820 |

| <b>MOUNTS/STANDS</b>                             |           |
|--|-----------|
| SG-DM-1200 = Deviating mirror h=1200mm           | 95ASE1700 |
| SG-DM-150 = Deviating mirror h=150mm             | 95ASE1670 |
| SG-DM-1650 = Deviating mirror h=1650mm           | 95ASE1710 |
| SG-DM-1900 = Deviating mirror h=1900mm           | 95ASE1720 |
| SG-DM-600 = Deviating mirror h=600mm             | 95ASE1680 |
| SG-DM-900 = Deviating mirror h=900mm             | 95ASE1690 |
| SG-IP69K-1050 = IP69K protection tubes h=1050mm  | 95ASE1350 |
| SG-IP69K-1200 = IP69K protection tubes h=1200mm  | 95ASE1360 |
| SG-IP69K-1350 = IP69K protection tubes h=1350mm  | 95ASE1370 |
| SG-IP69K-150 = IP69K protection tubes h=150mm    | 95ASE1290 |
| SG-IP69K-1500 = IP69K protection tubes h=1500mm  | 95ASE1380 |
| SG-IP69K-1650 = IP69K protection tubes h=1650mm  | 95ASE1390 |
| SG-IP69K-1800 = IP69K protection tubes h=1800mm  | 95ASE1400 |
| SG-IP69K-2-050 = IP69K protection tubes h=500mm  | 95ASE1410 |
| SG-IP69K-300 = IP69K protection tubes h=300mm    | 95ASE1300 |
| SG-IP69K-3-080 = IP69K protection tubes h=800mm  | 95ASE1420 |
| SG-IP69K-4-090 = IP69K protection tubes h=900mm  | 95ASE1430 |
| SG-IP69K-4-120 = IP69K protection tubes h=1200mm | 95ASE1440 |
| SG-IP69K-450 = IP69K protection tubes h=450mm    | 95ASE1310 |
| SG-IP69K-600 = IP69K protection tubes h=600mm    | 95ASE1320 |
| SG-IP69K-750 = IP69K protection tubes h=750mm    | 95ASE1330 |

|  |           |
|--|-----------|
| SG-IP69K-900 = IP69K protection tubes h=900mm                | 95ASE1340 |
| SG-P = Plate kit for protective stands                       | 95ASE2290 |
| SG-PSB-1000 = Protective stand h=1000mm                      | 95ASE2250 |
| SG-PSB-1200 = Protective stand h=1200mm                      | 95ASE2260 |
| SG-PSB-1650 = Protective stand h=1650mm                      | 95ASE2270 |
| SG-PSB-1900 = Protective stand h=1900mm                      | 95ASE2280 |
| SG-PSB-600 = Protective stand h=600mm                        | 95ASE2240 |
| ST-DM = Deviating mirrors SG-DM mounting kit                 | 95ASE1940 |
| ST-K20-MI = SG mounting inserts 20 pcs                       | 95ASE2980 |
| ST-K4AV = Anti vibration supports 4 pcs kit                  | 95ACC1700 |
| ST-K4OR = Orientable supports 4 pcs kit                      | 95ACC1680 |
| ST-K4ROT = Metal top-bottom rotative brackets 4 pcs kit      | 95ASE1280 |
| ST-K6AV = Anti vibration supports 6 pcs kit                  | 95ACC1710 |
| ST-K6OR = Orientable supports 6 pcs kit                      | 95ACC1690 |
| ST-KCASCADE-SG = SG4 EXTENDED cascading connection bracket   | 95ASE2110 |
| ST-KP4MP = Plastic angled brackets 4 pcs kit                 | 95ASE1100 |
| ST-KP6MP = Plastic angled brackets 6 pcs kit                 | 95ASE1110 |
| ST-KSTD = Metal angled brackets 4 pcs kit                    | 95ACC1670 |
| ST-PS4-SG-SE = Protective stand 4 pcs mounting kit for SE/SG | 95ASE1750 |
| ST-PS6-SG-SE = Protective stand 6 pcs mounting kit for SE/SG | 95ASE1760 |
| ST-PS-DM = Deviating mirror mounting kit                     | 95ASE1770 |



| <b>MUTING KIT</b>  |           |
|--|-----------|
| LMS = Muting lamp  | 95ASE1830 |
| LMS-1 = Modular muting lamp  | 95ACC1990 |
| LMS-2 = Muting lamp horizontal fixing  | 95ACC2000 |
| LMS-3 = Muting lamp vertical fixing  | 95ACC2010 |
| SG-AS-ARM V2 = Integrated muting arm active sensor ver.2   | 95ASE1841 |
| SG-CB-B = Integrated muting arms mounting bracket kit for SG BODY BIG  | 95ASE1920 |
| SG-CB-C = Integrated muting arms mounting bracket kit for SG BODY COMPACT  | 95ASE1930 |
| SG-F1-G1-ARM = Integrated Emitter/Receiver muting arms first couple  | 95ASE1880 |
| SG-F2-G2-ARM = Integrated Emitter/Receiver muting arms second couple   | 95ASE1890 |
| SG-L-ARMS V2 = Integrated retroreflective muting arms for L muting ver.2   | 95ASE1861 |
| SG-M BRACKET = SG-M Muting Kit single bracket, for S8 or S100 sensors, or reflector                              | 95ASE2630 |
| SG-M-ARM = SG-M single arm   | 95ASE2460 |
| SG-M-CB = SG-M Connection Box, for up to 4 sensors; M12 F connectors, 400mm pigtail with M12 F                   | 95ASE2500 |
| SG-M-CB-KIT = SG-M Connection Box mounting kit   | 95ASE2830 |
| SG-ML-S100-200-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors  | 95ASE2610 |
| SG-ML-S100-200-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2400 |
| SG-ML-S100-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors       | 95ASE2620 |
| SG-ML-S100-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors      | 95ASE2430 |
| SG-ML-S8-200-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors      | 95ASE2590 |
| SG-ML-S8-200-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors     | 95ASE2340 |
| SG-ML-S8-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors           | 95ASE2600 |
| SG-ML-S8-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors          | 95ASE2370 |
| SG-MT-S100 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors                    | 95ASE2440 |
| SG-MT-S100-200 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors               | 95ASE2410 |
| SG-MT-S8 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors                        | 95ASE2380 |
| SG-MT-S8-200 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors                   | 95ASE2350 |
| SG-MX-S100 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors                    | 95ASE2450 |

|  |           |
|--|-----------|
| SG-MX-S100-200 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2420 |
| SG-MX-S8 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors          | 95ASE2390 |
| SG-MX-S8-200 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors     | 95ASE2360 |
| SG-PR-ARM V2 = Integrated muting arm passive reflector ver.2                                       | 95ASE1851 |
| SG-T-ARMS V2 = Integrated retroreflective muting arms for T muting ver.2                           | 95ASE1871 |
| SU-LMS-1A = Basic support for LMS-1  | 95ACC2020 |
| SU-LMS-1B = Tower support for LMS-1  | 95ACC2030 |

| <b>OPTIC LENS/SLIT</b>           |           |
|----------------------------------|-----------|
| SG-LS1050 = Lens shield h=1050mm | 95ASE1510 |
| SG-LS1200 = Lens shield h=1200mm | 95ASE1520 |
| SG-LS1350 = Lens shield h=1350mm | 95ASE1530 |
| SG-LS150 = Lens shield h=150mm   | 95ASE1450 |
| SG-LS1500 = Lens shield h=1500mm | 95ASE1540 |
| SG-LS1650 = Lens shield h=1650mm | 95ASE1550 |
| SG-LS1800 = Lens shield h=1800mm | 95ASE1560 |
| SG-LS300 = Lens shield h=300mm   | 95ASE1460 |
| SG-LS450 = Lens shield h=450mm   | 95ASE1470 |
| SG-LS600 = Lens shield h=600mm   | 95ASE1480 |
| SG-LS750 = Lens shield h=750mm   | 95ASE1490 |
| SG-LS900 = Lens shield h=900mm   | 95ASE1500 |

| <b>SAFETY INTERFACE</b>   |           |
|---|-----------|
| CSME-03VU24-Y14 = Forced guided relay interface 3NO + 1 NC  | 95ASE1270 |
| SE-SR2 = Safety unit 3NO + 1NC outputs  | 95ACC6170 |
| SG4-DONGLE = SG4 EXTENDED Ethernet communication interface  | 95ASE2080 |
| SG-SRT-1 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector             | 95ASE2050 |
| SG-SRT-2 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector muting lamp | 95ASE2060 |