

Safety Light Curtain

| | |
|--|-----------|
| SG2-B2-050-OO-W-C = SG BODY BIG MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting coded | 957851320 |
| SG2-B3-080-OO-E = SG BODY BIG BASE safety multiple beam type 2 3 beams h=800mm edm man/auto | 957851250 |
| SG2-B3-080-OO-W-C = SG BODY BIG MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting coded | 957851330 |
| SG2-B4-090-OO-E = SG BODY BIG BASE safety multiple beam type 2 4 beams h=900mm edm man/auto | 957851260 |
| SG2-B4-090-OO-W-C = SG BODY BIG MUTING safety multiple beam type 2 4 beams h=900mm edm man/auto muting coded | 957851340 |
| SG2-B4-120-OO-E = SG BODY BIG BASE safety multiple beam type 2 4 beams h=1200mm edm man/auto | 957851270 |
| SG2-B4-120-OO-W-C = SG BODY BIG MUTING safety multiple beam type 2 4 beams h=1200mm edm man/auto muting coded | 957851350 |
| SG2-L2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting L arms | 957851120 |
| SG2-L3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting L arms | 957851130 |
| SG2-S2-050-PP-E = SG BODY COMPACT BASE safety multiple beam type 2 2 beams h=500mm edm man/auto | 957851000 |
| SG2-S2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting | 957851080 |
| SG2-S3-080-PP-E = SG BODY COMPACT BASE safety multiple beam type 2 3 beams h=800mm edm man/auto | 957851010 |
| SG2-S3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting | 957851090 |
| SG2-S4-090-PP-E = SG BODY COMPACT BASE safety multiple beam type 2 4 beams h=900mm edm man/auto | 957851020 |
| SG2-S4-090-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 4 beams h=900mm edm man/auto muting | 957851100 |
| SG2-S4-120-PP-E = SG BODY COMPACT BASE safety multiple beam type 2 4 beams h=1200mm edm man/auto | 957851030 |
| SG2-S4-120-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 4 beams h=1200mm edm man/auto muting | 957851110 |
| SG2-T2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting T arms | 957851140 |
| SG2-T3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting T arms | 957851150 |
| SG4-40-060-OO-E = SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=600mm edm man auto coded 60m | 957851570 |
| SG4-40-090-OO-E = SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=900mm edm man auto coded 60m | 957851580 |
| SG4-40-120-OO-E = SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=1200mm edm man auto coded 60m | 957851590 |
| SG4-B2-050-OO-E = SG BODY BIG BASE safety multiple beam type 4 2 beams h=500mm edm man/auto | 957851280 |
| SG4-B3-080-OO-E = SG BODY BIG BASE safety multiple beam type 4 3 beams h=800mm edm man/auto | 957851290 |
| SG4-B4-090-OO-E = SG BODY BIG BASE safety multiple beam type 4 4 beams h=900mm edm man/auto | 957851300 |
| SG4-B4-120-OO-E = SG BODY BIG BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto | 957851310 |
| SG4-BLR2-050-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting coded 60m | 957851360 |

| | |
|---|-----------|
| SG4-BLR3-080-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting coded 60m | 957851370 |
| SG4-BLR4-090-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting coded 60m | 957851380 |
| SG4-BLR4-120-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting coded 60m | 957851390 |
| SG4-BSR2-050-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting coded 30m | 957851400 |
| SG4-BSR3-080-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting coded 30m | 957851410 |
| SG4-BSR4-090-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting coded 30m | 957851420 |
| SG4-BSR4-120-OO-W-C = SG BODY BIG MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting coded 30m | 957851430 |
| SG4-L2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting L arms | 957851200 |
| SG4-L3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting L arms | 957851210 |
| SG4-S2-050-PP-E = SG BODY COMPACT BASE safety multiple beam type 4 2 beams h=500mm edm man/auto | 957851040 |
| SG4-S2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting | 957851160 |
| SG4-S2-050-PP-X = SG BODY COMPACT BASE safety multiple beam type 4 2 beams h=500mm autorestart | 957851600 |
| SG4-S3-080-PP-E = SG BODY COMPACT BASE safety multiple beam type 4 3 beams h=800mm edm man/auto | 957851050 |
| SG4-S3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting | 957851170 |
| SG4-S3-080-PP-X = SG BODY COMPACT BASE safety multiple beam type 4 3 beams h=800mm autorestart | 957851610 |
| SG4-S4-090-PP-E = SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=900mm edm man/auto | 957851060 |
| SG4-S4-090-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting | 957851180 |
| SG4-S4-090-PP-X = SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=900mm autorestart | 957851620 |
| SG4-S4-120-PP-E = SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto | 957851070 |
| SG4-S4-120-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting | 957851190 |
| SG4-S4-120-PP-X = SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=1200mm autorestart | 957851630 |
| SG4-T2-050-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting T arms | 957851220 |
| SG4-T3-080-PP-W = SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting T arms | 957851230 |

| CABLES | |
|---|-----------|
| | 95ACC2250 |
| CS-A1-03-G-03 = M12 5-p axial 3m | 95ACC2110 |
| CS-A1-03-G-05 = M12 5-p axial 5m | 95ACC2120 |
| CS-A1-03-G-10 = M12 5-p axial 10m | 95ACC2140 |
| CS-A1-03-U-03 = M12 5-p axial 3m UL 2464 | 95ASE1170 |
| CS-A1-03-U-05 = M12 5-p axial 5m UL 2464 | 95ASE1180 |
| CS-A1-03-U-10 = M12 5-p axial 10m UL 2464 | 95ASE1190 |
| CS-A1-06-B-03 = M12 8-p axial 3m | 95ACC2230 |
| CS-A1-06-B-05 = M12 8-p axial 5m | 95ACC2240 |
| CS-A1-06-B-NC = M12 8-p axial PG | 95ACC2550 |
| CS-A1-06-U-03 = M12 8-p axial 3m UL 2464 | 95ASE1220 |
| CS-A1-06-U-05 = M12 8-p axial 5m UL 2464 | 95ASE1230 |
| CS-A1-06-U-10 = M12 8-p axial 10m UL 2464 | 95ASE1240 |
| CS-M1-02-B-004 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 400mm | 95ASE2470 |
| CS-M1-02-B-007 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 700mm | 95ASE2480 |
| CS-M1-02-B-02 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 2000mm | 95ASE2490 |
| CV-A1-22-B-03 = SE 4pin CABLE 3m | 95ACC1480 |
| CV-A1-22-B-05 = SE 4pin CABLE 5m | 95ACC1490 |
| CV-A1-22-B-10 = SE 4pin CABLE 10m | 95ACC1500 |
| CV-A1-22-B-15 = SE 4pin CABLE 15m | 95ACC2070 |
| CV-A1-22-B-25 = SE 4pin CABLE 25m | 95ACC2090 |
| CV-A1-23-B-005-2F = SE 5pin CABLE 0,5m | 95ACC2440 |
| CV-A1-23-B-01-2F = SE 5pin CABLE 1m | 95ACC2450 |
| CV-A1-26-B-03 = SE 8pin CABLE 3m | 95ACC1510 |
| CV-A1-26-B-05 = SE 8pin CABLE 5m | 95ACC1520 |
| CV-A1-26-B-10 = SE 8pin CABLE 10m | 95ACC1530 |
| CV-A1-26-B-15 = SE 8pin CABLE 15m | 95ACC2080 |

| | |
|--|-----------|
| CV-A1-26-B-25 = SE 8pin CABLE 25m | 95ACC2100 |
| CV-A2-22-B-03 = SE 4pin 90° CABLE 3m | 95ACC1540 |
| CV-A2-22-B-05 = SE 4pin 90° CABLE 5m BLACK | 95ACC1550 |
| CV-A2-22-B-10 = SE 4pin 90° CABLE 10m | 95ACC1560 |
| CV-A2-26-B-03 = SE 8pin 90° CABLE 3m | 95ACC1600 |
| CV-A2-26-B-05 = SE 8pin 90° CABLE 5m BLACK | 95ACC1610 |
| CV-A2-26-B-10 = SE 8pin 90° CABLE 10m | 95ACC1620 |
| CV-L1-02-B-007 = M12 4-pole L Muting cable | 95ACC2570 |
| CV-Y1-02-B-007 = M12 4-pole T Muting cable | 95ACC2560 |
| CV-Y2-02-G-0007 = M12 4p EXT MUTING DRIVER | 95ACC2600 |

| | |
|-----------------------|-----------|
| MISCELLANEOUS | |
| SG-LP = Laser pointer | 95ASE5590 |

| | |
|---|-----------|
| MOUNTS/STANDS | |
| SG-DM-1200 = Deviating mirror h=1200mm | 95ASE1700 |
| SG-DM-150 = Deviating mirror h=150mm | 95ASE1670 |
| SG-DM-1650 = Deviating mirror h=1650mm | 95ASE1710 |
| SG-DM-1900 = Deviating mirror h=1900mm | 95ASE1720 |
| SG-DM-600 = Deviating mirror h=600mm | 95ASE1680 |
| SG-DM-900 = Deviating mirror h=900mm | 95ASE1690 |
| SG-IP69K-1050 = IP69K protection tubes h=1050mm | 95ASE1350 |
| SG-IP69K-1200 = IP69K protection tubes h=1200mm | 95ASE1360 |
| SG-IP69K-1350 = IP69K protection tubes h=1350mm | 95ASE1370 |
| SG-IP69K-1500 = IP69K protection tubes h=1500mm | 95ASE1380 |
| SG-IP69K-1650 = IP69K protection tubes h=1650mm | 95ASE1390 |
| SG-IP69K-1800 = IP69K protection tubes h=1800mm | 95ASE1400 |
| SG-IP69K-2-050 = IP69K protection tubes h=500mm | 95ASE1410 |

| | |
|---|-----------|
| SG-IP69K-3-080 = IP69K protection tubes h=800mm | 95ASE1420 |
| SG-IP69K-4-090 = IP69K protection tubes h=900mm | 95ASE1430 |
| SG-IP69K-4-120 = IP69K protection tubes h=1200mm | 95ASE1440 |
| SG-IP69K-600 = IP69K protection tubes h=600mm | 95ASE1320 |
| SG-IP69K-750 = IP69K protection tubes h=750mm | 95ASE1330 |
| SG-IP69K-900 = IP69K protection tubes h=900mm | 95ASE1340 |
| SG-P = Plate kit for protective stands | 95ASE2290 |
| SG-PSB-1000 = Protective stand h=1000mm | 95ASE2250 |
| SG-PSB-1200 = Protective stand h=1200mm | 95ASE2260 |
| SG-PSB-1650 = Protective stand h=1650mm | 95ASE2270 |
| SG-PSB-1900 = Protective stand h=1900mm | 95ASE2280 |
| SG-PSB-600 = Protective stand h=600mm | 95ASE2240 |
| SG-PSM-2-500 = Protective stand with= 2 adjustable mirrors h=500mm | 95ASE2300 |
| SG-PSM-3-800 = Protective stand with= 3 adjustable mirrors h=800mm | 95ASE2310 |
| SG-PSM-4-1200 = Protective stand with= 4adjustable mirrors h=1200mm | 95ASE2330 |
| SG-PSM-4-900 = Protective stand with= 4 adjustable mirrors h=900mm | 95ASE2320 |
| ST-DM = Deviating mirrors SG-DM mounting kit | 95ASE1940 |
| ST-K20-MI = SG mounting inserts 20 pcs | 95ASE2980 |
| ST-K4AV = Anti vibration supports 4 pcs kit | 95ACC1700 |
| ST-K4OR = Orientable supports 4 pcs kit | 95ACC1680 |
| ST-K4REAR-SG = Metal rear brackets 4 pcs kit for SG BODY BIG | 95ASE1970 |
| ST-K4ROT-SG BODY BIG = Metal top-bottom rotative brackets 4 pcs kit for SG BODY BIG | 95ASE1960 |
| ST-K4ROT-SG BODY COMPACT = Metal top-bottom rotative brackets 4 pcs kit for SG BODY COMPACT | 95ASE2040 |
| ST-K4STD-SG BODY BIG = Metal angled brackets 4 pcs kit for SG BODY BIG | 95ASE1950 |
| ST-K6AV = Anti vibration supports 6 pcs kit | 95ACC1710 |
| ST-K6OR = Orientable supports 6 pcs kit | 95ACC1690 |
| ST-KCASCADE-SG = SG4 EXTENDED cascading connection bracket | 95ASE2110 |
| ST-KP4MP = Plastic angled brackets 4 pcs kit | 95ASE1100 |

| | |
|--|-----------|
| ST-KP6MP = Plastic angled brackets 6 pcs kit | 95ASE1110 |
| ST-KSTD = Metal angled brackets 4 pcs kit | 95ACC1670 |
| ST-PS4-SG-BODY = Protective stand 4 pcs mounting kit for SG BODY BIG | 95ASE1730 |
| ST-PS6-SG-BODY = Protective stand 6 pcs mounting kit for SG BODY BIG | 95ASE1740 |
| ST-PS-DM = Deviating mirror mounting kit | 95ASE1770 |

| MUTING KIT | |
|--|-----------|
| LMS = Muting lamp | 95ASE1830 |
| LMS-1 = Modular muting lamp | 95ACC1990 |
| LMS-2 = Muting lamp horizontal fixing | 95ACC2000 |
| LMS-3 = Muting lamp vertical fixing | 95ACC2010 |
| SG-AS-ARM V2 = Integrated muting arm active sensor ver.2 | 95ASE1841 |
| SG-CB-B = Integrated muting arms mounting bracket kit for SG BODY BIG | 95ASE1920 |
| SG-CB-C = Integrated muting arms mounting bracket kit for SG BODY COMPACT | 95ASE1930 |
| SG-F1-G1-ARM = Integrated Emitter/Receiver muting arms first couple | 95ASE1880 |
| SG-F2-G2-ARM = Integrated Emitter/Receiver muting arms second couple | 95ASE1890 |
| SG-L-ARMS V2 = Integrated retroreflective muting arms for L muting ver.2 | 95ASE1861 |
| SG-M BRACKET = SG-M Muting Kit single bracket, for S8 or S100 sensors, or reflector | 95ASE2630 |
| SG-M-ARM = SG-M single arm | 95ASE2460 |
| SG-M-CB = SG-M Connection Box, for up to 4 sensors; M12 F connectors, 400mm pigtail with M12 F | 95ASE2500 |
| SG-M-CB-KIT = SG-M Connection Box mounting kit | 95ASE2830 |
| SG-ML-S100-200-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2610 |
| SG-ML-S100-200-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2400 |
| SG-ML-S100-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors | 95ASE2620 |
| SG-ML-S100-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors | 95ASE2430 |
| SG-ML-S8-200-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors | 95ASE2590 |
| SG-ML-S8-200-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors | 95ASE2340 |
| SG-ML-S8-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors | 95ASE2600 |

| | |
|---|-----------|
| SG-ML-S8-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors | 95ASE2370 |
| SG-MT-S100 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors | 95ASE2440 |
| SG-MT-S100-200 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2410 |
| SG-MT-S8 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors | 95ASE2380 |
| SG-MT-S8-200 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors | 95ASE2350 |
| SG-MX-S100 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors | 95ASE2450 |
| SG-MX-S100-200 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors | 95ASE2420 |
| SG-MX-S8 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors | 95ASE2390 |
| SG-MX-S8-200 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors | 95ASE2360 |
| SG-PR-ARM V2 = Integrated muting arm passive reflector ver.2 | 95ASE1851 |
| SG-T-ARMS V2 = Integrated retroreflective muting arms for T muting ver.2 | 95ASE1871 |
| SU-LMS-1A = Basic support for LMS-1 | 95ACC2020 |
| SU-LMS-1B = Tower support for LMS-1 | 95ACC2030 |

| | |
|------------------------------------|-----------|
| OPTIC LENS/SLIT | |
| SG-LS-2-050 = Lens shield h=500mm | 95ASE1570 |
| SG-LS-3-080 = Lens shield h=800mm | 95ASE1580 |
| SG-LS-4-090 = Lens shield h=900mm | 95ASE1590 |
| SG-LS-4-120 = Lens shield h=1200mm | 95ASE1600 |

| | |
|---|-----------|
| SAFETY INTERFACE | |
| CSME-03VU24-Y14 = Forced guided relay interface 3NO + 1 NC | 95ASE1270 |
| SE-SR2 = Safety unit 3NO + 1NC outputs | 95ACC6170 |
| SG-SRT-1 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector | 95ASE2050 |
| SG-SRT-2 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector muting lamp | 95ASE2060 |