

Safety Light Curtain

SG4-RB2-050-OO-E = SG BODY REFLECTOR BASE safety multiple beam type 4 2 beams h=500mm edm man/auto active side	957951000
SG4-RB2-050-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting active side	957951030
SG4-RB2L-050-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting active side L arms	957951060
SG4-RB2T-050-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting active side T arms	957951080
SG4-RB3-080-OO-E = SG BODY REFLECTOR BASE safety multiple beam type 4 3 beams h=800mm edm man/auto active side	957951010
SG4-RB3-080-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting active side	957951040
SG4-RB3L-080-OO-W = SG BODY REFLECTOR MUTING safety type 4 3 beams h=800mm edm man/auto muting active side L arms	957951070
SG4-RB3T-080-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting active side T arms	957951090
SG4-RB4-090-OO-E = SG BODY REFLECTOR BASE safety multiple beam type 4 4 beams h=900mm edm man/auto active side	957951190
SG4-RB4-090-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting active side	957951180
SG4-RB4-120-OO-E = SG BODY REFLECTOR BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto active side	957951020
SG4-RB4-120-OO-W = SG BODY REFLECTOR MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting active side	957951050
SG4-RDB2 = SG BODY REFLECTOR BASE 2 beams h=500mm passive side	957951100
SG4-RDB2L = SG BODY REFLECTOR BASE 2 beams h=500mm passive side L arms	957951130
SG4-RDB2T = SG BODY REFLECTOR BASE 2 beams h=500mm passive side T arms	957951150
SG4-RDB3 = SG BODY REFLECTOR BASE 3 beams h=800mm passive side	957951110
SG4-RDB3L = SG BODY REFLECTOR BASE 3 beams h=800mm passive side L arms	957951140
SG4-RDB3T = SG BODY REFLECTOR BASE 3 beams h=800mm passive side T arms	957951160
SG4-RDB4-090 = SG BODY REFLECTOR BASE 4 beams h=900mm passive side	957951170
SG4-RDB4-120 = SG BODY REFLECTOR BASE 4 beams h=1200mm passive side	957951120

CABLES	
CS-A1-03-G-03 = M12 5-p axial 3m	95ACC2110
CS-A1-03-G-05 = M12 5-p axial 5m	95ACC2120
CS-A1-03-G-10 = M12 5-p axial 10m	95ACC2140
CS-A1-03-U-03 = M12 5-p axial 3m UL 2464	95ASE1170
CS-A1-03-U-05 = M12 5-p axial 5m UL 2464	95ASE1180
CS-A1-03-U-10 = M12 5-p axial 10m UL 2464	95ASE1190
CS-A1-06-B-03 = M12 8-p axial 3m	95ACC2230
CS-A1-06-B-05 = M12 8-p axial 5m	95ACC2240
CS-A1-06-B-10 M12 8 poli 10m nero	95ACC2250
CS-A1-06-B-NC = M12 8-p axial PG	95ACC2550
CS-A1-06-U-03 = M12 8-p axial 3m UL 2464	95ASE1220
CS-A1-06-U-05 = M12 8-p axial 5m UL 2464	95ASE1230
CS-A1-06-U-10 = M12 8-p axial 10m UL 2464	95ASE1240
CS-M1-02-B-004 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 400mm	95ASE2470
CS-M1-02-B-007 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 700mm	95ASE2480
CS-M1-02-B-02 = Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 2000mm	95ASE2490
CV-A1-23-B-005-2F = SE 5pin CABLE 0,5m	95ACC2440
CV-A1-23-B-01-2F = SE 5pin CABLE 1m	95ACC2450
CV-A1-26-B-03 = SE 8pin CABLE 3m	95ACC1510
CV-A1-26-B-05 = SE 8pin CABLE 5m	95ACC1520
CV-A1-26-B-10 = SE 8pin CABLE 10m	95ACC1530
CV-A1-26-B-15 = SE 8pin CABLE 15m	95ACC2080
CV-A1-26-B-25 = SE 8pin CABLE 25m	95ACC2100
CV-A2-22-B-03 = SE 4pin 90° CABLE 3m	95ACC1540
CV-A2-22-B-05 = SE 4pin 90° CABLE 5m BLACK	95ACC1550
CV-A2-22-B-10 = SE 4pin 90° CABLE 10m	95ACC1560
CV-A2-26-B-03 = SE 8pin 90° CABLE 3m	95ACC1600

CV-A2-26-B-05 = SE 8pin 90° CABLE 5m BLACK	95ACC1610
CV-A2-26-B-10 = SE 8pin 90° CABLE 10m	95ACC1620
CV-L1-02-B-007 = M12 4-pole L Muting cable	95ACC2570
CV-Y1-02-B-007 = M12 4-pole T Muting cable	95ACC2560
CV-Y2-02-G-0007 = M12 4p EXT MUTING DRIVER	95ACC2600

MISCELLANEOUS	
SG-LP = Laser pointer	95ASE5590

MOUNTS/STANDS	
SG-DM-1200 = Deviating mirror h=1200mm	95ASE1700
SG-DM-150 = Deviating mirror h=150mm	95ASE1670
SG-DM-1650 = Deviating mirror h=1650mm	95ASE1710
SG-DM-1900 = Deviating mirror h=1900mm	95ASE1720
SG-DM-600 = Deviating mirror h=600mm	95ASE1680
SG-DM-900 = Deviating mirror h=900mm	95ASE1690
SG-P = Plate kit for protective stands	95ASE2290
SG-PSB-1000 = Protective stand h=1000mm	95ASE2250
SG-PSB-1200 = Protective stand h=1200mm	95ASE2260
SG-PSB-1650 = Protective stand h=1650mm	95ASE2270
SG-PSB-1900 = Protective stand h=1900mm	95ASE2280
SG-PSB-600 = Protective stand h=600mm	95ASE2240
ST-DM = Deviating mirrors SG-DM mounting kit	95ASE1940
ST-K20-MI = SG mounting inserts 20 pcs	95ASE2980
ST-K4AV = Anti vibration supports 4 pcs kit	95ACC1700
ST-K4OR = Orientable supports 4 pcs kit	95ACC1680
ST-K6AV = Anti vibration supports 6 pcs kit	95ACC1710
ST-K6OR = Orientable supports 6 pcs kit	95ACC1690

ST-KCASCADE-SG = SG4 EXTENDED cascading connection bracket	95ASE2110
ST-KP4MP = Plastic angled brackets 4 pcs kit	95ASE1100
ST-KP6MP = Plastic angled brackets 6 pcs kit	95ASE1110
ST-KSTD = Metal angled brackets 4 pcs kit	95ACC1670
ST-PS6-SG-BODY = Protective stand 6 pcs mounting kit for SG BODY BIG	95ASE1740
ST-PS-DM = Deviating mirror mounting kit	95ASE1770

MUTING KIT	
LMS = Muting lamp	95ASE1830
LMS-1 = Modular muting lamp	95ACC1990
LMS-2 = Muting lamp horizontal fixing	95ACC2000
LMS-3 = Muting lamp vertical fixing	95ACC2010
SG-AS-ARM V2 = Integrated muting arm active sensor ver.2	95ASE1841
SG-CB-B = Integrated muting arms mounting bracket kit for SG BODY BIG	95ASE1920
SG-CB-C = Integrated muting arms mounting bracket kit for SG BODY COMPACT	95ASE1930
SG-F1-G1-ARM = Integrated Emitter/Receiver muting arms first couple	95ASE1880
SG-F2-G2-ARM = Integrated Emitter/Receiver muting arms second couple	95ASE1890
SG-L-ARMS V2 = Integrated retroreflective muting arms for L muting ver.2	95ASE1861
SG-M BRACKET = SG-M Muting Kit single bracket, for S8 or S100 sensors, or reflector	95ASE2630
SG-M-ARM = SG-M single arm	95ASE2460
SG-M-CB = SG-M Connection Box, for up to 4 sensors; M12 F connectors, 400mm pigtail with M12 F	95ASE2500
SG-M-CB-KIT = SG-M Connection Box mounting kit	95ASE2830
SG-ML-S100-200-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	95ASE2610
SG-ML-S100-200-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	95ASE2400
SG-ML-S100-L = Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	95ASE2620
SG-ML-S100-R = Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	95ASE2430
SG-ML-S8-200-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	95ASE2590
SG-ML-S8-200-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	95ASE2340

SG-ML-S8-L = Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	95ASE2600
SG-ML-S8-R = Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	95ASE2370
SG-MT-S100 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	95ASE2440
SG-MT-S100-200 = Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	95ASE2410
SG-MT-S8 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	95ASE2380
SG-MT-S8-200 = Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	95ASE2350
SG-MX-S100 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	95ASE2450
SG-MX-S100-200 = Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	95ASE2420
SG-MX-S8 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	95ASE2390
SG-MX-S8-200 = Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	95ASE2360
SG-PR-ARM V2 = Integrated muting arm passive reflector ver.2	95ASE1851
SG-T-ARMS V2 = Integrated retroreflective muting arms for T muting ver.2	95ASE1871
SU-LMS-1A = Basic support for LMS-1	95ACC2020
SU-LMS-1B = Tower support for LMS-1	95ACC2030

SAFETY INTERFACE	
CSME-03VU24-Y14 = Forced guided relay interface 3NO + 1 NC	95ASE1270
SE-SR2 = Safety unit 3NO + 1NC outputs	95ACC6170
SG-SRT-1 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector	95ASE2050
SG-SRT-2 = Muting connection box with forcibly guided relays 2NO start pushbutton override key selector muting lamp	95ASE2060