

<b>Magellan 1500i</b>	
Magellan 1500i, Black, Std Configuration, 2D, Riser stand with Magnetic Base, Euro Power Supply, RS-232 Cable	MG1501-10231-2100
Magellan 1500i, Black, Std Configuration, 2D, Riser Stand with Magnetic Base, USB A Cable	MG1501-10231-0200
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand with Magnetic Base, USB A Cable	MG1501-10211-0200
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, Euro Power Supply RS-232 Cable	MG1501-10210-2100
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, No Cable	MG1501-10210
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, US Power Supply RS-232 Cable	MG1501-10210-1100
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, USB A Cable	MG1501-10210-0200
Magellan 1500i, Black, Std Configuration, 2D, Wall Mount Kit, USB A Cable	MG1501-10250-0200
Magellan 1500i, Black, Std Configuration, DWM, Tilting Stand, USB A Cable	MG1501-10310-0200
Magellan 1500i, White, Std Configuration, 2D, Riser Stand with Magnetic Base, Euro Power Supply, RS-232 Cable	MG1502-10241-2100
Magellan 1500i, White, Std Configuration, 2D, Riser Stand with Magnetic Base, USB A Cable	MG1502-10241-0200
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand with Magnetic Base, USB A Cable	MG1502-10221-0200
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, Euro Power Supply RS-232 Cable	MG1502-10220-2100
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, No Cable	MG1502-10220
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, US Power Supply RS-232 Cable	MG1502-10220-1100
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, USB A Cable	MG1502-10220-0200
Magellan 1500i, White, Std Configuration, 2D, Wall Mount Kit, USB A Cable	MG1502-10260-0200
Magellan 1500i, White, Std Configuration, DWM, Tilting Stand, USB A Cable	MG1502-10320-0200

<b>EASEOFCARE AGREEMENTS</b>	
MAGELLAN 1500i EofC 5 DAYS RENEWAL	ZSN5M1500R1
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, 3 YEARS	ZSC2M150031
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2M150051
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, RENEWAL	ZSC2M1500R1
MAGELLAN 1500i EofC, 5 DAYS, 3 YEARS	ZSN5M150031
MAGELLAN 1500i EofC, 5 DAYS, 5 YEARS	ZSN5M150051
MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 3 YEARS	ZSC1M150031

MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 5 YEARS	ZSC1M150051
MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, RENEWAL	ZSC1M1500R1

CABLES	
Cable, IBM USB, Power Off Terminal, Straight, 2 m	8-0754-07
Cable, IBM, USB, Power Off Terminal, Straight, 3.66 m	8-0754-13
Cable, RS AUX, RJ10P, Straight, 2 m	90A052346
Cable, RS-232 9D S, External Power, SHT/OM, 600mm	90A052369
Cable, RS-232, External Power, 9D, S, 2 m	8-0751-11
Cable, RS-232, Ruby Verifone, 8RJ, P, External Power, Straight, 2 m	8-0751-16
Cable, RS-232, Wincor w/DTR, 2 m	8-0751-10
Cable, USB, OEM, Power Off Terminal, EAS, 2 m	90A052337
Cable, USB, Power Off Terminal, Coiled, 2.44 m	8-0754-15
Cable, USB, Power Off Terminal, Coiled, 3.6 m	90A052364
Cable, USB, Series A, Power Off Terminal, 1 m	90A052363
Cable, USB, Series A, Power Off Terminal, EAS, 2 m	90A052336
Cable, USB, Series A, Straight, 3.66 m	8-0754-14
Cable, USB, Type A, Power Off Terminal, 2 m	8-0754-12
Cable, USB+ Power Off Terminal, Coiled, 3.65 m	90A052351

MOUNTS/STANDS		
	Magnetic Mount	90ACC0384
	Riser Stand, Black	90ACC0380

	Riser Stand, White	90ACC0381
	Round Stand, Black Base, Black Scanner	90ACC0400
	Round Stand, Silver Base, Black Scanner	90ACC0402
	Round Stand, Silver Base, White Scanner	90ACC0401
	Tilting Stand, Black	90ACC0378
	Tilting Stand, White	90ACC0379
	Wall Mount Kit, Black	90ACC0382
	Wall Mount Kit, White	90ACC0383

<b>POWER SUPPLIES/CORDS</b>	
Power Cord, 2-Pin, AU	90ACC0316
Power Cord, 2-Pin, China	90ACC0311
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, Japan	90ACC0312
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Supply, 5VDC, ready to accept 2 pin power cord or alternatively an adapter power plug (not included order separately)	90ACC0287

<b>SOFTWARE</b>	
API enabling FRS device integration for real-time tracking, connectivity and battery monitoring, diagnostics, anomaly detection, RMA/Ease-of-Care integration, centralized firmware control, advanced configuration, automation, and policy enforcement.	ZSIOTAPIFRS
IoT Essential Package for FRS Devices - Real-time tracking, connectivity and battery monitoring, system diagnostics, anomaly detection, RMA management, and Ease-of-Care integration for optimized FRS device fleet management	ZSIOTESEFRS
IoT Professional Package for FRS Devices -Centralized firmware management, advanced device configuration (scan modes, symbology, power settings), scheduled automation, and policy enforcement for compliant and optimized FRS devices performance	ZSIOTPROFRS