

PowerScan 9501-RT Series	
PowerScan Retail PBT9501, Bluetooth, Fixed Battery, White	PBT9501-WH-RT
PowerScan Retail PBT9501, Bluetooth, Removable Battery, Black	PBT9501-BK-RT
PowerScan Retail PBT9501, Bluetooth, RS-232 Kit, Black, Rem Batt (Kit inc. PBT9501-BK-RT, BC9030-BK-BT-BP, 8-0935 AND CAB-433.)	PBT9501-BK-RTK20
PowerScan Retail PBT9501, Bluetooth, RS-232 Kit, White, Fixed Batt (Kit inc. PBT9501-WH-RT, BC9030-WH-BT-BP, 8-0935 AND CAB-433.)	PBT9501-WH-RTK20
PowerScan Retail PBT9501, Bluetooth, USB Kit, Black, Rem Batt (Kit inc. PBT9501-BK-RT, BC9030-BK-BT-BP, 8-0935 AND CAB-438)	PBT9501-BK-RTK10
PowerScan Retail PBT9501, Bluetooth, USB Kit, White, Fixed Batt (Kit inc. PBT9501-WH-RT, BC9030-WH-BT-BP, 8-0935 AND CAB-438.)	PBT9501-WH-RTK10
PowerScan Retail PD9531, Black	PD9531-BK-RT
PowerScan Retail PD9531, RS-232 Kit, Black (Kit inc. PD9531-BK-RT Scanner and CAB-434 Cable.)	PD9531-BK-RTK20
PowerScan Retail PD9531, RS-232 Kit, White (Kit inc. PD9531-WH-RT Scanner and CAB-434 Cable.)	PD9531-WH-RTK20
PowerScan Retail PD9531, USB Kit, Black (Kit inc. PD9531-BK-RT Scanner and CAB-550 Cable.)	PD9531-BK-RTK10
PowerScan Retail PD9531, USB Kit, White (Kit inc. PD9531-WH-RT Scanner and CAB-550 Cable.)	PD9531-WH-RTK10
PowerScan Retail PD9531, White	PD9531-WH-RT
PowerScan Retail PM9501, 433 MHz, Display/16-Key Keypad, Fixed Battery, White	PM9501-WH-DK433-RT
PowerScan Retail PM9501, 433 MHz, Display/16-Key Keypad, Removable Battery, Black	PM9501-BK-DK433-RT
PowerScan Retail PM9501, 433 MHz, Fixed Battery, White	PM9501-WH-433-RT
PowerScan Retail PM9501, 433 MHz, Removable Battery, Black	PM9501-BK-433-RT
PowerScan Retail PM9501, 433MHz, RS-232 Kit, Black, Rem Batt (Kit inc. PM9501-BK-433-RT, BC9030-BK-433-BP, 8-0935 AND CAB-433.)	PM9501-BK433-RTK20
PowerScan Retail PM9501, 433MHz, RS-232 Kit, White, Fixed Batt (Kit inc. PM9501-WH-433-RT, BC9030-WH-433-BP, 8-0935 AND CAB-433.)	PM9501-WH433-RTK20
PowerScan Retail PM9501, 433MHz, USB Kit, Black, Rem Batt (Kit inc. PM9501-BK-433-RT, BC9030-BK-433-BP, 8-0935 AND CAB-438.)	PM9501-BK433-RTK10
PowerScan Retail PM9501, 433MHz, USB Kit, White, Fixed Batt (Kit inc. PM9501-WH-433-RT, BC9030-WH-433-BP, 8-0935 AND CAB-438.)	PM9501-WH433-RTK10
PowerScan Retail PM9501, 910 MHz, Display/16-Key Keypad, Fixed Battery, White	PM9501-WH-DK910-RT
PowerScan Retail PM9501, 910 MHz, Display/16-Key Keypad, Removable Battery, Black	PM9501-BK-DK910-RT
PowerScan Retail PM9501, 910 MHz, Fixed Battery, White	PM9501-WH-910-RT

PowerScan Retail PM9501, 910 MHz, Removable Battery, Black	PM9501-BK-910-RT
PowerScan Retail PM9501, 910MHz, RS-232 Kit, Black, Rem Batt (Kit inc. PM9501-BK-910-RT, BC9030-BK-910-BP, 8-0935 AND CAB-433.)	PM9501-BK910-RTK20
PowerScan Retail PM9501, 910MHz, RS-232 Kit, White, Fixed Batt (Kit inc. PM9501-WH-910-RT, BC9030-WH-910-BP, 8-0935 AND CAB-433.)	PM9501-WH910-RTK20
PowerScan Retail PM9501, 910MHz, USB Kit, Black, Rem Batt (Kit inc. PM9501-BK-910-RT, BC9030-BK-910-BP, 8-0935 AND CAB-438.)	PM9501-BK910-RTK10
PowerScan Retail PM9501, 910MHz, USB Kit, White, Fixed Batt (Kit inc. PM9501-WH-910-RT, BC9030-WH-910-BP, 8-0935 AND CAB-438.)	PM9501-WH910-RTK10

BASE STATION	
BC9030 Base Presentation Charger, 433MHz, Multi-Interface (RS-232, USB and KBW), Black	BC9030-BK-433-BP
BC9030 Base Presentation Charger, 433MHz, Multi-Interface (RS-232, USB and KBW), White	BC9030-WH-433-BP
BC9030 Base Presentation Charger, 910MHz, Multi-Interface (RS-232, USB and KBW), Black	BC9030-BK-910-BP
BC9030 Base Presentation Charger, 910MHz, Multi-Interface (RS-232, USB and KBW), White	BC9030-WH-910-BP
BC9030 Base Presentation Charger, BT, Multi-Interface (RS-232, USB and KBW), White	BC9030-WH-BT-BP
BC9130 Base Station/ Dual Charger, 433 MHz, Multi-Interface (RS-232, USB and KBD Wedge), Spare Battery Slot	BC9130-433
BC9130 Base Station/ Dual Charger, 910 MHz, Multi-Interface (RS-232, USB and KBD Wedge), Spare Battery Slot	BC9130-910
BC9160 Base Station/Dual Charger, 433 MHz, Multi-Interface (RS-232, USB, KBD Wedge and RS485), Spare Battery Slot	BC9160-433
BC9160 Base Station/Dual Charger, 910 MHz, Multi-Interface (RS-232, USB, KBD Wedge and RS485), Spare Battery Slot	BC9160-910
BC9180 Base Station/Dual Charger, 433 MHz, Ethernet	BC9180-433
BC9180 Base Station/Dual Charger, 910 MHz, Ethernet	BC9180-910

EASEOFCARE AGREEMENTS	
FIELD BUS CONV, EoC, 2 DAYS COMP, 5 YEARS	ZSC2FBUSC51
PM/BT95XXSR, PARTS ONLY, 3 YEARS, COMPREHENSIVE	ZSP0PM9531
PM/BT95XXSR, PARTS ONLY, 5 YEARS, COMPREHENSIVE	ZSP0PM9551
PM/BT9XBASE, PARTS ONLY, 3 YEARS, COMPREHENSIVE	ZSP0PM95B31
PM/BT9XBASE, PARTS ONLY, 5 YEARS, COMP	ZSP0PM95B51
POWERSCAN PM/BT93/95 BASE, 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PM95B31

POWERSCAN PM/BT93/95 BASE, 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PM95B51
POWERSCAN PM/BT93/95 BASE, 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2PM95BR1
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 3 YEARS	ZSN5PM95B31
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 5 YEARS	ZSN5PM95B51
POWERSCAN PM/BT93/95 BASE, 5 DAYS, RENEWAL	ZSN5PM95BR1
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 3 YEARS, COMPREHENSIVE	ZSC1PM95B31
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 5 YEARS, COMPREHENSIVE	ZSC1PM95B51
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, RENEWAL, COMPREHENSIVE	ZSC1PM95BR1
POWERSCAN PM/BT95XXSR, 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PM9531
POWERSCAN PM/BT95XXSR, 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PM9551
STAR SD9030, EoC, 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2SD903051

BATTERIES/BATTERY CHARGERS		
Battery Charger, 4-Slot, MC-9000; (requires the 90ACC0350 power supply)		MC-P090
Image:	BATTERY CHARGER, C-9000	CHR-P090
Image:	Battery Pack, Fixed, FBP-9000 Rugged	FBP-PM90-01
BATTERY PACK, REMOVABLE, RBP-9000		RBP-PM90
Image:	Wasp WWS750 Battery Pack	FBP-PM90

CABLES	
CAB-438 USB Type A Straight	CAB-438
CAB-ETH-M01 M12-IP67 ETHERNET CABLE (1M)	93A051346
CAB-ETH-M03 M12-IP67 ETHERNET CABLE (3M)	93A051347
CAB-ETH-M05 M12-IP67 ETHERNET CABLE (5M)	93A051348
Cable, Ethernet, CAB-ETH-M10 M12-IP67 to RJ45, 10m	93A051391
Cable, IBM USB, 12 VDC, Powers USB, Coiled, 15 ft, CAB-486	CAB-486
Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft.	CAB-485
Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.	CAB-437
Cable, KBW, PS/2, External Power, Coiled, CAB-443	CAB-443
Cable, KBW, PS/2, External Power, Straight, CAB-442	CAB-442
Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463	CAB-463
Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462	CAB-462
Cable, KBW, PS/2, Straight, CAB-436, 6 ft.	CAB-436
Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474	CAB-474
Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477	CAB-477
Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459	CAB-459
Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.	CAB-434
Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501	CAB-501
Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.	CAB-433
Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.	CAB-471
Cable, RS-232, 25P, Male, CBX800 Power Off Terminal, Coiled, 12 ft.	CAB-512
Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft	CAB-509
Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.	CAB-472
Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479	CAB-479
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456	CAB-456
Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft.	CAB-461

Cable, USB, Type A, Coiled, TPUW, CAB-550, 2.4m	CAB-550
Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft.	CAB-441
Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft.	CAB-440
Cable, USB, Type A, Straight, 3.6 m, CAB-465	CAB-465
CBL-1487 CONNECTOR M12/5P/FEMALE IDNET	93A050045
CBL-1534-0.2 ADAPT. CABLE ETH M12-TO-RJ4	93A050057
CS-A1-01-G-03 = M12 3-p axial 3m	95A251290
CS-A1-01-G-05 = M12 3-p axial 5m	95A251300
CS-A1-01-G-10 = M12 3-p axial 10m	95A251340
EXTENSION INTERFACE CABLE - INDUSTRIAL	90A052329
RS232 cable for WWS750 scanner, 9P female, 6ft	CAB-448

CASES/HOLSTERS		
Image:	Holder, Desk/Wall Mount	HLD-P080
Image:	Holster, Universal, HLS-8000	HLS-P080
Image:	Protective Case/Belt Holster, PC-9000	PC-P090

MISCELLANEOUS		
	FIELDBUS CONVERTER, ETH IP, INDUSTRIAL	FBC9080-N200
	FIELDBUS CONVERTER, PROFINET, INDUSTRIAL	FBC9080-N100
Image:	Replaceable Window, Plastic, RWB-9000	RWD-P090-PL

MOUNTS/STANDS		
Image:	Industrial Take Up Reel	7-0404
Image:	STAND,HANDS-FREE,STD-9000	STD-P090
Image:	Vehicle Mount Kit, VMK-9000	VMK-P090

POWER SUPPLIES/CORDS		
	ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
	ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
	ADAPTER, POWER PLUG, UK	90ACC0308
	ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
	Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX)	8-0935
	Power Cord, 120V, Taiwan	6003-0929
	Power Cord, 120V, US, Twist & Lock	6003-0932
	Power Cord, 220V, Australia	6003-0925
	Power Cord, 220V, Italy/Chile	6003-0924

Power Cord, 240V, UK	6003-0923
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, Euro Monitor	6003-0931
Power Cord, IEC C13, Argentina	6003-0926
Power Cord, IEC C13, Brazil (For use with 8-0935)	6003-0942
Power Cord, IEC C13, China	6003-0935
Power Cord, IEC C13, Korea	6003-0930
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883
Power Supply, 12VDC, US, PG12-10P35-US (includes power cord 90ACC1886)	90ACC1920
Power Supply, 5VDC, includes 2 pin power cord adapter, no power cord	90ACC0287
RS,9P, SOCKET, POT@4, COIL, 3.6M, SH5327	CAB-541
US Power Cord, 110V, US, Standard	6003-0941