Magellan 3410VSi OEM	
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, Euro Power Supply, 15' RS-232 cable (Must be ordered in QTY 12)	M3420-010240-07104
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Accessories (Must be ordered in QTY 12)	M3420-010240
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Accessories (QTY 1)	M3420-010230
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Mount, No Power Supply, 15' USB Keyboard POT cable (Must be ordered in QTY 12)	M3420-010240-00604
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Power Supply, 15' USB OEM POT cable (Must be ordered in QTY 12)	M3420-010240-00403
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Power Supply, 2m USB Keyboard POT cable (Must be ordered in QTY 12)	M3420-010240-00605
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, No Power Supply, 2m USB Keyboard POT cable (QTY 1)	M3420-010230-00605
Magellan 3410VSi OEM, Default Configuration, 1D/2D Scanning, US/Canada Power Supply, 15' RS-232 interface cable (Must be ordered in QTY 12)	M3420-010240-01104

CABLES	
Cable, IBM USB, Power Off Terminal, Straight, 2 m	8-0754-07
Cable, RS-232, DE9P, SNI Beetle, Power Off Terminal, DC Plug, 4.5 m/15 ft	90A052380
Cable, USB, Series A, Power Off Terminal, 1 m	90A052363
Cable, USB, Type A, Power Off Terminal, 2 m	8-0754-12
Cable, USB+ Power Off Terminal, ERI, Barrel Plug, 4.6 m	90A052406

MISCELLANEOUS	
Customer Service Scanner (Gen 2) with Omni Mount Accessory	90ACC0515

POWER SUPPLIES/CORDS	
Power Brick, Worldwide, 12V/18W	90ACC0193
Power Cord, 100V, Japan	6003-0927
Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, AC, BIS India, 5 ft, RoHS	90ACC0192
Power Cord, AC, IEC/EU	6003-0940
Power Cord, IEC C13, Argentina	6003-0926
Power Cord, IEC C13, Brazil	6003-0942
Power Cord, IEC C13, China	6003-0935
Power Cord, IEC C13, Korea	6003-0930

SOFTWARE	
API access to telemetry, logs, remote commands, RMA management, Aladdin configuration, firmware updates and downgrades, scheduled automation for a compliant and optimized Fixed Retail Scanners management.	ZSIOTAPIFRS
Centralized device configuration through Aladdin, firmware updates and downgrades, device and scanner configuration, scheduled automation, and policy enforcement for compliant and optimized Fixed Retail device performance.	ZSIOTPROFRS
Device health and status, real-time telemetry and log collection, command execution from remote and RMA integration for efficient Fixed Retail Scanners fleet management.	ZSIOTESSFRS