Gryphon 4600 Series	
Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, Battery, Black (scanner only)	GBT4600-BK-HP
Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, Battery, White HC (scanner only)	GBT4600-HC-HP
Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, SuperCap, Black (scanner only)	GBT4600-BK-HP-SC
Gryphon GBT4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GBT4600-BK-HP scanner, WLC4690-BK-BT base and and USB Cable 90A052258)	GBT4600-BK-BTK1-HP
Gryphon GBT4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GBT4600-HC-HP scanner, WLC4690-HC-BT base and and USB Cable 90A052278)	GBT4600-HC-BTK1-HP
Gryphon GBT4600, Kit, USB, Black (Kit includes scanner with SuperCap Pack, WLC4690-BK-BT base and USB cable 90A052258)	GBT4600-BK-BTK1-SC
Gryphon GM4600, 2D, High Performance, Dual-sensor, 433MHz, Wireless Charging, Battery, Black (scanner only)	GM4600-BK-433-HP
Gryphon GM4600, 2D, High Performance, Dual-sensor, 433MHz, Wireless Charging, Battery, White HC (scanner only)	GM4600-HC-433-HP
Gryphon GM4600, 2D, High Performance, Dual-sensor, 910MHz, Wireless Charging, Battery, Black (scanner only)	GM4600-BK-910-HP
Gryphon GM4600, 2D, High Performance, Dual-sensor, 910MHz, Wireless Charging, Battery, White HC (scanner only)	GM4600-HC-910-HP
Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GM4600-BK-433-HP scanner, WLC4690-BK-433 base and and USB Cable 90A052258)	GM4600-BK-433K1-HP
Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GM4600-BK-910-HP scanner, WLC4690-BK-910 base and and USB Cable 90A052258)	GM4600-BK-910K1-HP
Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GM4600-HC-433-HP scanner, WLC4690-HC-433 base and and USB Cable 90A052278)	GM4600-HC-433K1-HP
Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GM4600-HC-910-HP scanner, WLC4690-HC-910 base and and USB Cable 90A052278)	GM4600-HC-910K1-HP
Gryphon I GD4620, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (scanner only)	GD4620-BK-HD
Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner and USB Cable 90A052258)	GD4620-BKK1-HD
Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner, Presentation Base PM-BASE-GD46-BK and USB Cable 90A052258)	GD4620-BKK1B-HD
Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner, Stand STD-G041-BK and USB Cable 90A052258)	GD4620-BKK1S-HD
Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, White HC (Kit includes Scanner and USB Cable 90A052278)	GD4620-HCK1-HD
Gryphon I GD4690, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (scanner only)	GD4690-BK-HP
Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (includes Scanner and Presentation Base PM-BASE-GD46-BK)	GD4690-BK-B-HP

Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner and USB Cable 90A052258)	GD4690-BKK1-HP
Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner, Presentation Base PM-BASE-GD46-BK and USB Cable 90A052258)	GD4690-BKK1B-HP
Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner, Stand STD-G041-BK and USB Cable 90A052258)	GD4690-BKK1S-HP
Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, White HC (Kit includes Scanner and USB Cable 90A052278)	GD4690-HCK1-HP

BASE STATION	
Wireless Charging Base Station, 433MHz, USB/RS-232 Multi-Interface, Black	WLC4690-BK-433
Wireless Charging Base Station, 433MHz, USB/RS-232 Multi-Interface, White HC	WLC4690-HC-433
Wireless Charging Base Station, 910MHz, USB/RS-232 Multi-Interface, Black	WLC4690-BK-910
Wireless Charging Base Station, 910MHz, USB/RS-232 Multi-Interface, White HC	WLC4690-HC-910
Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, Black	WLC4690-BK-BT
Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, Black, Wall mount setup	WLC4690-BK-BT-WALL
Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, White HC	WLC4690-HC-BT

EASEOFCARE AGREEMENTS	
GD46XX, 2 DAYS, 3 YEARS, COMP	ZSC2GD4631
GD46XX, 2 DAYS, 5 YEARS, COMP	ZSC2GD4651
GD46XX, 2 DAYS, RENEWAL, COMP	ZSC2GD46R1
GD46XX, 3 DAYS, 3 YEARS, COMP	ZSC3GD4631
GD46XX, 3 DAYS, 5 YEARS, COMP	ZSC3GD4651
GD46XX, 3 DAYS, RENEWAL, COMP	ZSC3GD46R1
GD46XX, 5 DAYS, 3 YEARS	ZSN5GD4631
GD46XX, 5 DAYS, 5 YEARS	ZSN5GD4651
GD46XX, 5 DAYS, RENEWAL	ZSN5GD46R1
GD46XX, FLEXI, 3 YEARS, COMP	ZSCFGD4631
GD46XX, FLEXI, 5 YEARS, COMP	ZSCFGD4651
GD46XX, FLEXI, RENEWAL	ZSNFGD46R1

GD46XX, FLEXI, RENEWAL, COMP	ZSCFGD46R1
GD46XX, OVRNGHT, 3 YEARS, COMP	ZSC1GD4631
GD46XX, OVRNGHT, 5 YEARS, COMP	ZSC1GD4651
GD46XX, OVRNGHT, RENEWAL, COMP	ZSC1GD46R1
GM/BT46XX 2 DAYS COMP,3 YEARS, BATT	ZSC2GM463B
GM/BT46XX 2 DAYS COMP,5 YEARS, BATT	ZSC2GM465B
GM/BT46XX 2 DAYS COMP,RENEWAL, BATT	ZSC2GM46RB
GM/BT46XX BASE, 2 DAYS, 3 YEARS, COMP	ZSC2GM46B31
GM/BT46XX BASE, 2 DAYS, 5 YEARS, COMP	ZSC2GM46B51
GM/BT46XX BASE, 2 DAYS, RENEWAL, COMP	ZSC2GM46BR1
GM/BT46XX BASE, 3 DAYS, 3 YEARS, COMP	ZSC3GM46B31
GM/BT46XX BASE, 3 DAYS, 5 YEARS, COMP	ZSC3GM46B51
GM/BT46XX BASE, 3 DAYS, RENEWAL, COMP	ZSC3GM46BR1
GM/BT46XX BASE, 5 DAYS, 3 YEARS	ZSN5GM46B31
GM/BT46XX BASE, 5 DAYS, 5 YEARS	ZSN5GM46B51
GM/BT46XX BASE, 5 DAYS, RENEWAL	ZSN5GM46BR1
GM/BT46XX BASE, FLEXI, 3 YEARS, COMP	ZSCFGM46B31
GM/BT46XX BASE, FLEXI, 5 YEARS	ZSNFGM46B51
GM/BT46XX BASE, FLEXI, 5 YEARS, COMP	ZSCFGM46B51
GM/BT46XX BASE, FLEXI, RENEWAL	ZSNFGM46BR1
GM/BT46XX BASE, FLEXI, RENEWAL, COMP	ZSCFGM46BR1
GM/BT46XX BASE, OVRNGHT, 3 YEARS, COMP	ZSC1GM46B31
GM/BT46XX BASE, OVRNGHT, 5 YEARS, COMP	ZSC1GM46B51
GM/BT46XX BASE, OVRNGHT, RENEWAL, COMP	ZSC1GM46BR1
GM/BT46XX, 2 DAYS, 3 YEARS, COMP	ZSC2GM4631
GM/BT46XX, 2 DAYS, 5 YEARS, COMP	ZSC2GM4651
GM/BT46XX, 2 DAYS, RENEWAL, COMP	ZSC2GM46R1
GM/BT46XX, 3 DAYS, 3 YEARS, COMP	ZSC3GM4631

GM/BT46XX, 3 DAYS, 5 YEARS, COMP	ZSC3GM4651
GM/BT46XX, 3 DAYS, RENEWAL, COMP	ZSC3GM46R1
GM/BT46XX, 5 DAYS, 3 YEARS	ZSN5GM4631
GM/BT46XX, 5 DAYS, 5 YEARS	ZSN5GM4651
GM/BT46XX, 5 DAYS, RENEWAL	ZSN5GM46R1
GM/BT46XX, FLEXI, 3 YEARS, COMP	ZSCFGM4631
GM/BT46XX, FLEXI, 5 YEARS	ZSNFGM4651
GM/BT46XX, FLEXI, 5 YEARS, COMP	ZSCFGM4651
GM/BT46XX, FLEXI, RENEWAL	ZSNFGM46R1
GM/BT46XX, FLEXI, RENEWAL, COMP	ZSCFGM46R1
GM/BT46XX, OVRNGHT, 3 YEARS, COMP	ZSC1GM4631
GM/BT46XX, OVRNGHT, 5 YEARS, COMP	ZSC1GM4651
GM/BT46XX, OVRNGHT, RENEWAL, COMP	ZSC1GM46R1

BATTERIES/BATTERY CHARGERS		
	Battery Charger, 4-Slot, GRYPHON 4500; (requires the 90ACC0350 power supply)	MC-GM45
Battery Pack, Removable, Gryphon 4600 series wireless scanner		RBP-GM46
SuperCap Pack, Removable, Gryphon 4600 series wireless scanner		RSP-GM46

CABLES	
Cable, RS-232, 12' Coiled (For Magellan)	90G001095
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230

Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters	90A052086
Cable, RS-232,RJ to RJ, Coiled, 6' (For Magellan Aux Port)	90G001092
Cable, USB, Power Conn, Straight, Power off terminal, 2 Meters, CAB-413E2	90A052101
Cable, USB, Type A, Coiled, Power off terminal, 2 Meters, CAB-424E	90A052100
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, PVCW, Straight, 2M, Black	90A052258
Cable, USB, Type A, PVCW, Straight, 2M, White	90A052278
Cable, USB, Type A, TPUW, Coiled, Power off Terminal, 5M, Black	90A052289
Cable, USB, Type A,TPUW, Coiled, 2.4m, Black	90A052285
Cable, USB, Type C, High Current, PVCW, Straight, 2M, Black (for use with WLC4690 Wireless Charging Base Station)	90A052408
Cable, USB, Type C, PVCW, Coiled 2.4M, Black	90A052354
Cable, USB, Type C, PVCW, Straight, 2M, Black	90A052352
Cable, USB, Type C, PVCW, Straight, 2M, White	90A052353
Cable, USB+PWR,TPUW, Straight, 2M, Black	90A052302

MISCELLANEOUS	
Bracket Adapter Compatible with S6 SCO (for use with WLC4690 Wireless Charging Base Station)	BA-WLC4690-S6
Bracket Adapter Compatible with S7 SCO (for use with WLC4690 Wireless Charging Base Station)	BA-WLC4690-S7
Bracket Adapter Compatible with WLC4190 Mounting System (for use with WLC4690-BK Wireless Charging Base Station)	BA-WLC4690-BK
Bracket Adapter Compatible with WLC4190 Mounting System (for use with WLC4690-HC Wireless Charging Base Station)	BA-WLC4690-HC
Cart Clip, Black (for use with WLC4690-BK Wireless Charging Base Station)	CC-WLC4690-BK
Cart Clip, White HC (for use with WLC4690-HC Wireless Charging Base Station)	CC-WLC4690-HC
Presentation Mode Base, Black (Gryphon 4600 corded models)	PM-BASE-GD46-BK
Presentation Mode Enabler and Bracket Adapter Compatible with WLC4090 Mounting System, Black (for use with WLC4690-BK Wireless Charging Base Station)	PA-WLC4690-BK
Presentation Mode Enabler and Bracket Adapter Compatible with WLC4090 Mounting System, White HC (for use with WLC4690-HC Wireless Charging Base Station)	PA-WLC4690-HC

MOUNTS/STANDS		
	Holder, Desk/Wall Mount, G041, Black	HLD-G041-BK
	Holder, Desk/Wall Mount, G041, White	HLD-G041-WH
	Holder, Multi-Purpose, Black	11-0360
	Holder, Multi-Purpose, Grey	11-0362
	Stand, Auto, G041, Black	STD-G041-BK
	Stand, Auto, G041, White	STD-G041-WH

POWER SUPPLIES/CORDS	
Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX)	8-0935
Power Cord, 100V, Japan	6003-0927
Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, AC, IEC/EU	6003-0940

Power Cord, IEC C13, Brazil	6003-0942
Power Supply,Switching,12V,5A (For Use with 6003-XXXX Power Cords)	90ACC0350

SOFTWARE	
API access to telemetry, logs, remote commands, RMA management, Aladdin configuration, firmware updates and downgrades, scheduled automation for a compliant and optimized Handheld Scanners management.	ZSIOTAPIHHS
Centralized device configuration through Aladdin, firmware updates and downgrades, device and scanner configuration, scheduled automation, and policy enforcement for compliant and optimized Handheld device performance.	ZSIOTPROHHS
Device health and status, real-time telemetry and log collection, command execution from remote and RMA integration for efficient Handheld Scanners fleet management.	ZSIOTESSHHS