

PowerScan PD9500 Models and Kits	
PowerScan PD9531 High Performance 10-30VDC	PD9531-HPE
PowerScan PD9531 High Performance 5VDC	PD9531-HP
PowerScan PD9531 Standard 5VDC	PD9531

EASEOFCARE AGREEMENTS	
MINIMUM REPAIR CHARGE,PD95XX SR	ZR0PD95MIN
PowerScan 95XXSR EofC 2 Days Comprehensive, 1 Year Renewal	ZSC2PD95C1
PowerScan 95XXSR EofC 2 Days Comprehensive, 3 Years	ZSC2PD9531
PowerScan 95XXSR EofC 2 Days Comprehensive, 5 Years	ZSC2PD9551
PowerScan 95XXSR EofC 5 Days, 1 Year Renewal	ZSN5PD95C1
PowerScan 95XXSR EofC 5 Days, 3 Years	ZSN5PD9531
PowerScan 95XXSR EofC 5 Days, 5 Years	ZSN5PD9551
PowerScan 95XXSR EofC Overnight Replacement Comprehensive, 1 Year Renewal	ZSC1PD95C1
PowerScan 95XXSR EofC Overnight Replacement Comprehensive, 3 Years	ZSC1PD9531
PowerScan 95XXSR EofC Overnight Replacement Comprehensive, 5 Years	ZSC1PD9551
WHOLE UNIT REPAIR,PD95XX SR	ZR0PD95MAX






BATTERIES/BATTERY CHARGERS		
Battery Charger, 4-Slot, MC-9000; (requires the 90ACC0350 power supply)		MC-P090
	Battery Pack, Fixed, FBP-9000	FBP-PM90
	Battery Pack, Fixed, FBP-9000 Rugged	FBP-PM90-01



Image:	BATTERY PACK, REMOVABLE, RBP-9000	RBP-PM90
--------	-----------------------------------	----------

CABLES	
	93A050057
CAB-ETH-M01 M12-IP67 ETHERNET CABLE (1M)	93A051346
CAB-ETH-M03 M12-IP67 ETHERNET CABLE (3M)	93A051347
CAB-ETH-M05 M12-IP67 ETHERNET CABLE (5M)	93A051348
Cable, Ethernet, CAB-ETH-M10 M12-IP67 to RJ45, 10m	93A051391
Cable, IBM USB, 12 VDC, Powers USB, Coiled, 15 ft, CAB-486	CAB-486
Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft.	CAB-485
Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.	CAB-437
Cable, KBW, PS/2, External Power, Coiled, CAB-443	CAB-443
Cable, KBW, PS/2, External Power, Straight, CAB-442	CAB-442
Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463	CAB-463
Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462	CAB-462
Cable, KBW, PS/2, Straight, CAB-436, 6 ft.	CAB-436
Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474	CAB-474
Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477	CAB-477
Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459	CAB-459
Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.	CAB-434
Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501	CAB-501
Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.	CAB-433
Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.	CAB-471
Cable, RS-232, 25P, Male, CBX800 Power Off Terminal, Coiled, 12 ft.	CAB-512
Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft	CAB-509
Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.	CAB-472
Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479	CAB-479
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230

Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456	CAB-456
Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft.	CAB-461
Cable, USB, Type A, Coiled, TPUW, CAB-550, 2.4m	CAB-550
Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft.	CAB-441
Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft.	CAB-440
Cable, USB, Type A, Straight, 3.6 m, CAB-465	CAB-465
CBL-1487 CONNECTOR M12/5P/FEMALE IDNET	93A050045
CS-A1-01-G-03 = M12 3-p axial 3m	95A251290
CS-A1-01-G-05 = M12 3-p axial 5m	95A251300
CS-A1-01-G-10 = M12 3-p axial 10m	95A251340
RS232 cable for WWS750 scanner, 9P female, 6ft	CAB-448
WLS8600 REPLACEMENT USB SCANNER CABLE	CAB-438

CASES/HOLSTERS		
	Holder, Desk/Wall Mount	HLD-P080
	Holster, Universal, HLS-8000	HLS-P080
	Protective Case/Belt Holster, PC-9000	PC-P090

MISCELLANEOUS	
FIELDBUS CONVERTER, ETH IP, INDUSTRIAL	FBC9080-N200
FIELDBUS CONVERTER, PROFINET, INDUSTRIAL	FBC9080-N100
Star System USB Industrial Dongle 433 MHz	SD9030-433-A
Star System USB Industrial Dongle 910 MHz	SD9030-910-A

MOUNTS/STANDS	
	Industrial Take Up Reel 7-0404
	STAND, HANDS-FREE, STD-9000 STD-P090

POWER SUPPLIES/CORDS	
	CAB-541
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883
Power Supply, 12VDC, US, PG12-10P35-US (includes power cord 90ACC1886)	90ACC1920
Power Supply, 5VDC, includes 2 pin power cord adapter, no power cord	90ACC0287