

<b>Heron HD3100 Models and Kits</b>	
Heron HD3130 1D Scanner with Stand, Black	HD3130-BK
Heron HD3130 Kit, Black (Kit includes 1D Scanner, Autosense Flex Stand and USB Cable)	HD3130-BKK1S
Heron HD3130 USB Kit, Black (Kit includes 1D Scanner, Stand and USB Cable)	HD3130-BKK1B
Heron HD3130 USB Kit, White (Kit includes 1D Scanner, Stand and USB Cable)	HD3130-WHK1B

<b>EASEOFCARE AGREEMENTS</b>	
HD3130 5 DAYS, 3 YEARS	ZSN5HD313031
HD3130 5 DAYS, 5 YEARS	ZSN5HD313051
HD3130 5 DAYS, RENEWAL	ZSN5HD3130R1
HD3130, 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2HD313031
HD3130, 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2HD313051
HD3130, 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2HD3130R1
HD3130, OVERNIGHT, 3 YRS, COMPREHENSIVE	ZSC1HD313031
HD3130, OVERNIGHT, 5 YRS, COMPREHENSIVE	ZSC1HD313051
HD3130, OVERNIGHT, RENEWL, COMPREHENSIVE	ZSC1HD3130R1

<b>CABLES</b>	
Adapter, KBW to USB, ADP-203	90ACC1903
Cable, IBM PS/2, KBW, Minidin Connector, Straight, CAB-321	90G001010
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008

Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters	90A052086
Cable, RS-232,6' (For Magellan)	90G001092
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, PVCW, Straight, 2M, Black	90A052258
Cable, USB, Type A, PVCW, Straight, 2M, White	90A052278

MOUNTS/STANDS		
	Stand, Autosense Flex, Black	STD-AUTFLX-H030-BK
	Stand, Autosense Flex, White	STD-AUTFLX-H030-WH
	Stand, Autosense, Black	STD-AUTO-H030-BK
	Stand, Autosense, White	STD-AUTO-H030-WH

<b>POWER SUPPLIES/CORDS</b>	
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Supply, 5VDC, ready to accept 2 pin power cord or alternatively an adapter power plug (not included order separately)	90ACC0287