





PowerScan Retail PD9500-RT




PowerScan Retail PD9531, Black	PD9531-BK-RT
PowerScan Retail PD9531, RS-232 Kit, Black (Kit inc. PD9531-BK-RT Scanner and CAB-434 Cable.)	PD9531-BK-RTK20
PowerScan Retail PD9531, RS-232 Kit, White (Kit inc. PD9531-WH-RT Scanner and CAB-434 Cable.)	PD9531-WH-RTK20
PowerScan Retail PD9531, USB Kit, Black (Kit inc. PD9531-BK-RT Scanner and CAB-550 Cable.)	PD9531-BK-RTK10
PowerScan Retail PD9531, USB Kit, White (Kit inc. PD9531-WH-RT Scanner and CAB-550 Cable.)	PD9531-WH-RTK10
PowerScan Retail PD9531, White	PD9531-WH-RT


BATTERIES/BATTERY CHARGERS

Battery Charger, 4-Slot, MC-9000; (requires the 90ACC0350 power supply)		MC-P090
	BATTERY CHARGER, C-9000	CHR-P090
	Battery Pack, Fixed, FBP-9000	FBP-PM90
	Battery Pack, Fixed, FBP-9000 Rugged	FBP-PM90-01
Image: 	BATTERY PACK, REMOVABLE, RBP-9000	RBP-PM90

CABLES	
	93A050057
CAB-ETH-M01 M12-IP67 ETHERNET CABLE (1M)	93A051346
CAB-ETH-M03 M12-IP67 ETHERNET CABLE (3M)	93A051347
CAB-ETH-M05 M12-IP67 ETHERNET CABLE (5M)	93A051348
Cable, Ethernet, CAB-ETH-M10 M12-IP67 to RJ45, 10m	93A051391
Cable, IBM USB, 12 VDC, Powers USB, Coiled, 15 ft, CAB-486	CAB-486
Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft.	CAB-485
Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.	CAB-437
Cable, KBW, PS/2, External Power, Coiled, CAB-443	CAB-443
Cable, KBW, PS/2, External Power, Straight, CAB-442	CAB-442
Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463	CAB-463
Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462	CAB-462
Cable, KBW, PS/2, Straight, CAB-436, 6 ft.	CAB-436
Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474	CAB-474
Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477	CAB-477
Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459	CAB-459
Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.	CAB-434
Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501	CAB-501
Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.	CAB-433
Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.	CAB-471
Cable, RS-232, 25P, Male, CBX800 Power Off Terminal, Coiled, 12 ft.	CAB-512
Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft	CAB-509
Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.	CAB-472
Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479	CAB-479
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456	CAB-456
Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft.	CAB-461

Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft.	CAB-441
Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft.	CAB-440
Cable, USB, Type A, Straight, 3.6 m, CAB-465	CAB-465
CBL-1487 CONNECTOR M12/5P/FEMALE IDNET	93A050045
CS-A1-01-G-03 = M12 3-p axial 3m	95A251290
CS-A1-01-G-05 = M12 3-p axial 5m	95A251300
CS-A1-01-G-10 = M12 3-p axial 10m	95A251340
RS232 cable for WWS750 scanner, 9P female, 6ft	CAB-448
WLS8600 REPLACEMENT USB SCANNER CABLE	CAB-438

CASES/HOLSTERS		
	Holder, Desk/Wall Mount	HLD-P080
	Holster, Universal, HLS-8000	HLS-P080
	Protective Case/Belt Holster, PC-9000	PC-P090

MISCELLANEOUS		
FIELDBUS CONVERTER, ETH IP, INDUSTRIAL		FBC9080-N200
FIELDBUS CONVERTER, PROFINET, INDUSTRIAL		FBC9080-N100
	Replaceable Window, Plastic, RWB-9000	RWD-P090-PL

MOUNTS/STANDS		
	Industrial Take Up Reel	7-0404
	STAND,HANDS-FREE,STD-9000	STD-P090
	Vehicle Mount Kit, VMK-9000	VMK-P090

POWER SUPPLIES/CORDS	
	CAB-541
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord)	8-0935
Power Cord, 120V, Taiwan	6003-0929
Power Cord, 120V, US, Twist & Lock	6003-0932
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, Euro Monitor	6003-0931

Power Cord, IEC C13, Argentina	6003-0926
Power Cord, IEC C13, Brazil (For use with 8-0935)	6003-0942
Power Cord, IEC C13, China	6003-0935
Power Cord, IEC C13, Korea	6003-0930
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883
Power Supply, 12VDC, US, PG12-10P35-US (includes power cord 90ACC1886)	90ACC1920
Power Supply, 5VDC, includes 2 pin power cord adapter, no power cord	90ACC0287
US Power Cord, 110V, US, Standard	6003-0941