



<b>PowerScan PBT9300 Laser</b>	
PowerScan PBT9300, Bluetooth, Laser Scanner, Auto Range, Removable Battery	PBT9300-ARRB
PowerScan PBT9300, RS-232 Kit, Removable Battery (Kit inc. PBT9300-ARRB Scanner, BC9030-BT Base, EU Power Brick/Cord, CAB-433 Cable.)	PBT9300-ARRBK20EU
PowerScan PBT9300, RS-232 Kit, Removable Battery (Kit inc. PBT9300-ARRB Scanner, BC9030-BT Base, US Power Brick/Cord, CAB-433 Cable.)	PBT9300-ARRBK20US
PowerScan PBT9300, USB Kit, Removable Battery (Kit inc. PBT9300-ARRB Scanner, BC9030-BT Base, EU Power Brick/Cord, CAB-438 Cable.)	PBT9300-ARRBK10EU
PowerScan PBT9300, USB Kit, Removable Battery (Kit inc. PBT9300-ARRB Scanner, BC9030-BT Base, US Power Brick/Cord, CAB-438 Cable.)	PBT9300-ARRBK10US

<b>BASE STATION</b>	
BC9030 Base Presentation Charger, BT, Multi-Interface (RS-232, USB and KBW), Black	BC9030-BK-BT-BP
BC9030 Base Presentation Charger, BT, Multi-Interface (RS-232, USB and KBW), White	BC9030-WH-BT-BP
BC9030 Base/Charger BT Multi-Interface (RS-232, USB and KBW)	BC9030-BT
BC9130 Base/Dual Charger BT Multi-Interface (RS-232, USB and KBW), Spare Battery Slot	BC9130-BT
BC9180 Base/Dual Charger BT Ethernet, Spare Battery Slot	BC9180-BT

<b>EASEOFCARE AGREEMENTS</b>	
PM/BT93 AR, EofC OVRNGHT, 3 YEARS, COMP	ZSC1PM93AR31
PM/BT93 AR, EofC OVRNGHT, 5 YEARS, COMP	ZSC1PM93AR51
PM/BT93 AR, EofC OVRNGHT, RENEWAL, COMP	ZSC1PM93ARR1
PM/BT93 SR, EofC OVRNGHT, 3 YEARS, COMP	ZSC1PM93SR31
PM/BT93 SR, EofC OVRNGHT, 5 YEARS, COMP	ZSC1PM93SR51
PM/BT93 SR, EofC OVRNGHT, RENEWAL, COMP	ZSC1PM93SRR1
PM/BT93XX AR, EofC 2 DAYS, 3 YEARS, COMP	ZSC2PM93AR31
PM/BT93XX AR, EofC 2 DAYS, 5 YEARS, COMP	ZSC2PM93AR51
PM/BT93XX AR, EofC 2 DAYS, RENEWAL, COMP	ZSC2PM93ARR1
PM/BT93XX AR, EofC 5 DAYS, 3 YEARS	ZSN5PM93AR31
PM/BT93XX AR, EofC 5 DAYS, 5 YEARS	ZSN5PM93AR51

PM/BT93XX AR, EofC 5 DAYS, RENEWAL	ZSN5PM93ARR1
PM/BT93XX SR, EofC 2 DAYS, 3 YEARS, COMP	ZSC2PM93SR31
PM/BT93XX SR, EofC 2 DAYS, 5 YEARS, COMP	ZSC2PM93SR51
PM/BT93XX SR, EofC 2 DAYS, RENEWAL, COMP	ZSC2PM93SRR1
PM/BT93XX SR, EofC 5 DAYS, 3 YEARS	ZSN5PM93SR31
PM/BT93XX SR, EofC 5 DAYS, 5 YEARS	ZSN5PM93SR51
PM/BT93XX SR, EofC 5 DAYS, RENEWAL	ZSN5PM93SRR1
POWERSCAN PM/BT93/95 BASE, 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PM95B31
POWERSCAN PM/BT93/95 BASE, 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PM95B51
POWERSCAN PM/BT93/95 BASE, 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2PM95BR1
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 3 YEARS	ZSN5PM95B31
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 5 YEARS	ZSN5PM95B51
POWERSCAN PM/BT93/95 BASE, 5 DAYS, RENEWAL	ZSN5PM95BR1
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 3 YEARS, COMPREHENSIVE	ZSC1PM95B31
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 5 YEARS, COMPREHENSIVE	ZSC1PM95B51
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, RENEWAL, COMPREHENSIVE	ZSC1PM95BR1
STAR SD9030, EoC, 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2SD903051

<b>BATTERIES/BATTERY CHARGERS</b>		
Battery Charger, 4-Slot, MC-9000; (requires the 90ACC0350 power supply)		MC-P090
	BATTERY CHARGER, C-9000	CHR-P090
	Battery Pack, Fixed, FBP-9000 Rugged	FBP-PM90-01
BATTERY PACK, REMOVABLE, RBP-9000		RBP-PM90






Wasp WWS750 Battery Pack


FBP-PM90

**CABLES**

CAB-438 USB Type A Straight	CAB-438
Cable, IBM USB, 12 VDC, Powers USB, Coiled, 15 ft, CAB-486	CAB-486
Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft.	CAB-485
Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.	CAB-437
Cable, KBW, PS/2, External Power, Coiled, CAB-443	CAB-443
Cable, KBW, PS/2, External Power, Straight, CAB-442	CAB-442
Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463	CAB-463
Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462	CAB-462
Cable, KBW, PS/2, Straight, CAB-436, 6 ft.	CAB-436
Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474	CAB-474
Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477	CAB-477
Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459	CAB-459
Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.	CAB-434
Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501	CAB-501
Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.	CAB-433
Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.	CAB-471
Cable, RS-232, 25P, Male, CBX800 Power Off Terminal, Coiled, 12 ft.	CAB-512
Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft	CAB-509
Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.	CAB-472
Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479	CAB-479
Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456	CAB-456
Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft.	CAB-461
Cable, USB, Type A, Coiled, TPUW, CAB-550, 2.4m	CAB-550
Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft.	CAB-441
Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft.	CAB-440

Cable, USB, Type A, Straight, 3.6 m, CAB-465	CAB-465
EXTENSION INTERFACE CABLE - INDUSTRIAL	90A052329
RS232 cable for WWS750 scanner, 9P female, 6ft	CAB-448

CASES/HOLSTERS		
	Holder, Desk/Wall Mount	HLD-P080
	Holster, Universal, HLS-8000	HLS-P080
	Protective Case/Belt Holster, PC-9000	PC-P090

MISCELLANEOUS		
	Replaceable Window, Plastic, RWB-9300	RWD-P093-PL
Star System USB Industrial Dongle 433 MHz		SD9030-433-A
Star System USB Industrial Dongle 910 MHz		SD9030-910-A

MOUNTS/STANDS		
	Industrial Take Up Reel	7-0404
	STAND, HANDS-FREE, STD-9000	STD-P090
	Vehicle Mount Kit, VMK-9000	VMK-P090

POWER SUPPLIES/CORDS	
Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord)	8-0935
Power Cord, 120V, Taiwan	6003-0929
Power Cord, 120V, US, Twist & Lock	6003-0932
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, Euro Monitor	6003-0931
Power Cord, IEC C13, Argentina	6003-0926
Power Cord, IEC C13, Brazil (For use with 8-0935)	6003-0942
Power Cord, IEC C13, China	6003-0935
Power Cord, IEC C13, Korea	6003-0930
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883

Power Supply, 12VDC, US, PG12-10P35-US (includes power cord 90ACC1886)	90ACC1920
Power Supply,Switching,12V,5A for 4 slot Charger (For Use with 6003-XXXX Power Cords)	90ACC0350
US Power Cord, 110V, US, Standard	6003-0941